



Corrigendum to **“Brief communication: On calculating the sea-level contribution in marine ice-sheet models ” published in The Cryosphere, 14, 833–840, 2020**

Heiko Goelzer^{1,2}, Violaine Coulon², Frank Pattyn², Bas de Boer³, and Roderik van de Wal^{1,4}

¹Institute for Marine and Atmospheric research Utrecht, Utrecht University, Utrecht, the Netherlands

²Laboratoire de Glaciologie, Université Libre de Bruxelles, Brussels, Belgium

³Earth and Climate Cluster, Faculty of Science, Vrije Universiteit Amsterdam, Amsterdam, the Netherlands

⁴Geosciences, Physical Geography, Utrecht University, Utrecht, the Netherlands

Correspondence: Heiko Goelzer (heig@norceresearch.no)

Published: 7 March 2022

We have discovered an error in the display of Eqs. (1) and (13) that provide estimates for the total ice volume above floatation. In both cases, a “max” statement was omitted during submission that is required to avoid summation of negative contributions and account only for grounded ice. This error occurs only in the printed form of the equations, while the model code and the results of the paper are unaffected.

The corrected equations are given here.

$$V_{\text{af}} = \sum_n \max\left[\left(H_n + \min(b_n, 0) \frac{\rho_{\text{ocean}}}{\rho_{\text{ice}}}\right), 0\right] \frac{1}{k_n^2} A_n \quad (1)$$

$$V_{\text{af}}^0 = \sum_n \max\left[\left(H_n + \min(b_n - z_0, 0) \frac{\rho_{\text{ocean}}}{\rho_{\text{ice}}}\right), 0\right] \frac{1}{k_n^2} A_n \quad (13)$$