

Table 1: Structural properties of the snow samples and thermal conductivity values measured with SIM, NP and HFP^a.

Snow Type	ISC	Density kg m ⁻³	SSA mm ⁻¹	i.th mm	i.sp mm	k_x^{SIM} W K ⁻¹ m ⁻¹	k_z^{SIM} W K ⁻¹ m ⁻¹	k_x^{NPH} W K ⁻¹ m ⁻¹	k_z^{NPH} W K ⁻¹ m ⁻¹	k^{HFP} W K ⁻¹ m ⁻¹
Depth hoar	DHch	172	12.90	0.20 ± 0.07	1.76 ± 1.27	0.174 ± 0.014	0.152 ± 0.018	0.055 ± 0.005	0.065 ± 0.006	0.193
Facets	FCso	230	12.71	0.25 ± 0.07	0.42 ± 0.15	0.131 ± 0.003	0.184 ± 0.037	0.080 ± 0.000	0.101 ± 0.023	0.230
Small rounded	RGxf	246	17.63	0.17 ± 0.04	0.36 ± 0.14	0.204 ± 0.004	0.146 ± 0.006	0.115 ± 0.005	0.115 ± 0.015	0.176
Small rounded	FCxr	251	17.05	0.18 ± 0.05	0.40 ± 0.14	0.189 ± 0.001	0.137 ± 0.003	0.145 ± 0.005	0.076 ± 0.010	0.176
Small rounded	RGsr	253	14.47	0.22 ± 0.05	0.30 ± 0.13	0.128 ± 0.002	0.156 ± 0.000	0.090 ± 0.001	0.111 ± 0.001	0.189
Large rounded	RGl	267	16.16	0.19 ± 0.07	0.41 ± 0.16	0.196 ± 0.006	0.177 ± 0.007	0.120 ± 0.000	0.130 ± 0.010	0.197
Small rounded	RGsr	286	8.84	0.34 ± 0.13	0.81 ± 0.36	0.245 ± 0.002	0.211 ± 0.005	0.180 ± 0.001	0.180 ± 0.001	0.219
Small rounded	RGsr	331	19.89	0.16 ± 0.03	0.27 ± 0.09	0.327 ± 0.012	0.275 ± 0.017	0.225 ± 0.015	0.169 ± 0.055	0.271

^aSnow type: description, ISC: International Classification, Density: gravimetrically determined, SSA: specific surface area from tomography, i.th: thickness of ice structures by tomography, i.sp: pore size by tomography, k_x^{SIM} : k_x obtained with the simulation, k_z^{SIM} : k_z obtained with the simulation, k_x^{NPH} : k_x obtained with needle probe measurements, k_z^{NPH} : k_z obtained with needle probe measurements, k^{HFP} : k_z obtained with the heat flux plate.

Table 2: Structural properties of the additional snow samples and thermal conductivity values obtained with the simulation^a.

Snow Type	ISC	Density kg m ⁻³	SSA mm ⁻¹	i.th mm	i.sp mm	k_x^{SIM} W K ⁻¹ m ⁻¹	k_z^{SIM} W K ⁻¹ m ⁻¹
New snow	PPsd	91	64.65	0.05 ± 0.03	0.45 ± 0.19	0.024	0.024
Small rounded	RGsr	118	25.09	0.13 ± 0.04	0.56 ± 0.34	0.081	0.050
Small rounded	RGsr	155	29.03	0.12 ± 0.03	0.31 ± 0.11	0.103	0.094
Small rounded	RGsr	155	27.15	0.12 ± 0.03	0.33 ± 0.12	0.115	0.093
Small rounded	RGsr	164	26.78	0.12 ± 0.03	0.34 ± 0.13	0.135	0.086
Small rounded	RGsr	173	23.41	0.14 ± 0.04	0.36 ± 0.14	0.130	0.102
Small rounded	RGsr	182	25.50	0.13 ± 0.03	0.30 ± 0.11	0.124	0.111
Small rounded	RGsr	191	26.39	0.13 ± 0.03	0.28 ± 0.10	0.136	0.125
Small rounded	RGsr	191	24.90	0.13 ± 0.03	0.32 ± 0.12	0.150	0.112
Small rounded	RGsr	191	31.34	0.10 ± 0.03	0.24 ± 0.09	0.145	0.125
Small rounded	RGsr	200	24.85	0.13 ± 0.04	0.29 ± 0.11	0.149	0.144
Depth hoar	DHcp	209	12.28	0.23 ± 0.14	0.93 ± 0.53	0.118	0.118
Depth hoar	DHcp	228	11.31	0.25 ± 0.13	0.78 ± 0.37	0.147	0.199
Depth hoar	DHcp	237	15.99	0.17 ± 0.07	0.49 ± 0.23	0.138	0.248
Depth hoar	DHcp	237	16.37	0.16 ± 0.07	0.47 ± 0.22	0.143	0.249
Facets	FCso	246	11.65	0.26 ± 0.09	0.54 ± 0.21	0.151	0.167
Depth hoar	DHcp	246	10.51	0.29 ± 0.20	0.82 ± 0.44	0.136	0.185
Depth hoar	DHcp	255	12.97	0.20 ± 0.10	0.62 ± 0.33	0.181	0.264
Melt-refrozen	MFcl	264	8.21	0.35 ± 0.13	0.80 ± 0.35	0.124	0.240
Large rounded	RGl	264	11.89	0.26 ± 0.09	0.49 ± 0.20	0.152	0.198
Melt-refrozen	MFcl	273	9.40	0.31 ± 0.12	0.63 ± 0.29	0.142	0.264
Depth hoar	DHcp	282	14.05	0.17 ± 0.07	0.54 ± 0.32	0.197	0.354
Melt-refrozen	MFcl	282	14.72	0.21 ± 0.06	0.34 ± 0.13	0.247	0.213
Depth hoar	DHcp	291	13.51	0.19 ± 0.10	0.51 ± 0.28	0.236	0.316
Melt-refrozen	MFcl	300	15.14	0.21 ± 0.06	0.31 ± 0.12	0.284	0.201
Facets	FCso	309	7.11	0.41 ± 0.18	0.71 ± 0.29	0.200	0.310
Melt-refrozen	MFcl	364	9.62	0.31 ± 0.11	0.40 ± 0.17	0.247	0.422

^a

Snow type: description, ISC: International Classification, Density: gravimetrically determined, SSA: specific surface area from tomography, i.th: thickness of ice structures by tomography, i.sp: pore size by tomography, k_x^{SIM} : k_x obtained with the simulation, k_z^{SIM} : k_z obtained with the simulation.