
The Cryosphere Discuss., 6, C3056–C3057, 2013 www.the-cryosphere-discuss.net/6/C3056/2013/ © Author(s) 2013. This work is distributed under the Creative Commons Attribute 3.0 License.



H. Löwe et al.

loewe@slf.ch

Received and published: 25 February 2013

Dear Reviewer,

thanks for your comments and suggestions. Point-by-point replies are given below.

Minor comment 1

The range of correlation lengths, their ratio and the size of the samples will be given. We cannot rule out that our samples sizes give rise to finite size effects. But we expect both, simulations and model to be influenced by them likewise. See also our answer to C3056



TCD 6, C3056–C3057, 2013

> Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



comment #6 in the other review.

Minor comment 2

There are two sides of the coin. First, the bound is good enough to deduce an expression for the conductivity which has lower scatter than a parametrization solely based on the volume fraction. Second, the bound must be linearly corrected and hence it is not good enough to go without any empirical modification.

Minor comment 3

Will be done.

Editorial comments

All will be corrected.

Interactive comment on The Cryosphere Discuss., 6, 4673, 2012.

TCD

6, C3056-C3057, 2013

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

