

Interactive
Comment

Interactive comment on “On the magnitude and frequency of Karakoram Glacier surges” by D. J. Quincey and A. Luckman

Anonymous Referee #2

Received and published: 18 December 2013

This short communication presents observations of a so far not documented surge of Khurdopin glacier in the Shimshal valley during the 1970s. It is a good example that investigating satellite archives can reveal new information and help understand also long term changes. The method is well established and even though the errors are large, the results are convincing. The main interesting point is that velocities can reach very high values also for glaciers in the Karakoram with a typical temporal evolution. The results of this analysis are well presented, but the context is lacking important information and the conclusions are not well based.

Major scientific issues:

The title is misleading, because the observations cannot support general surge characteristics of Karakoram glaciers

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Abstract: The observation of one repeat period is not sufficient to conclude on general surge periods. Taking into account historical observations might help to better characterise the general situation of Khurdopin glacier.

Introduction, last paragraph: I doubt that a general return period can be given for the Karakoram glaciers. Even if there are indications that climatic conditions drive surge activities, the individual characteristics of the glaciers will lead to very different response time with respect to surge initiation. However, the need for more information about the surge cycles of glaciers in the Karakroam is undisputed.

The Khurdopin glacier and the surge of 1979, first paragraph: A more detailed description about historical observations would be beneficial. The looped moraines of the glacier tongue indicate several surges in the past. This indicator would also deserve an extra sentence.

Description of the uncertainties: Tab. 1 would benefit from additional information of the mean velocity on the used central flowline, to demonstrate the significance of the results. What is the image source of the 1986 images (the usage of the Spot image should be mentioned)?

P. 5180, l. 27ff: Involvement of the whole glacier surface in the surge is not shown or demonstrated. The profile of Fig. 2 reaches only about half way of the full glacier length. This is also in contradiction with the figure caption of Fig. 1 (minimal impact beyond 15 km from the terminus).

Discussion and conclusion: The conclusion of underestimation of Karakroam glacier surges is misleading. This one observation is a good indication that high velocity surges occur in the Karakoram. But the timing of surge cycles needs more research, especially also from historical sources, in order to relate this one observation to the general conditions. Again the comparison of the 1979 and 1999 surges cannot be used for a general statment about a decreasing surge intensity. This would only be possible within a general framework of surge observations, which is very patchy at the

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

moment.

North Gasherbrum glacier is not really predominantly debris-free. At least the lower-most 6 km show at least 50% of debris coverage.

Interactive comment on The Cryosphere Discuss., 7, 5177, 2013.

TCD

7, C2743–C2745, 2013

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

C2745

