



*Supplement of*

## **Post-LIA glacier changes along a latitudinal transect in the Central Italian Alps**

**R. Scotti et al.**

*Correspondence to:* F. Brardinoni (francesco.brardinoni@unimib.it)

1   **Post-LIA glacier changes along a climatic transect in the Central**  
 2   **Italian Alps: Supplement Material**

3  
 4   Supplementary Table S1. Glacier characteristics in the three sub-regions in year 2007.

Attribute	Sub-region		
	<b>Livigno</b>	<b>Disgrazia</b>	<b>Orobie</b>
GS (km <sup>2</sup> )	Mean	0.07	0.20
	Median	0.02	0.04
	Range	0.003-0.37	0.002-2.31
ABR	Low	-	3
	Moderate	4	5
	High	12	29
E <sub>min</sub> (m a.s.l.)	Mean	2803	2788
	Median	2765	2795
	Range	(2707-3032)	(2229-3191)
ELA <sub>0</sub> (m a.s.l.)	Mean	2864	2887
	Median	2833	2890
	Range	(2772-3047)	(2440-3210)
E <sub>max</sub> (m a.s.l.)	Mean	2973	3065
	Median	2989	3083
	Range	(2795-3178)	(2476-3634)
E <sub>rc</sub> (m a.s.l.)	Median	2974	3109
S (°)	Mean	27.8	28.7
	Median	29.2	27.1
	Range	(19.6-33.0)	(18.1-45.0)
CSR (W m <sup>2</sup> )	Mean	176	210
	Median	172	213
	Range	(152-218)	(121-258)
MAP (mm a <sup>-1</sup> )	Mean	1070	1295
	Median	1065	1301
	Range	(790-1200)	(1210-1370)

5  
 6  
 7  
 8  
 9  
 10  
 11  
 12  
 13

1 Supplementary Table S2. Glacier count and area from 1860 to 2007 stratified in size classes.

Livigno											
Size Classes Km <sup>2</sup>	1860		1954		1990		2003		2007		
	Count	Area									
		Km <sup>2</sup>									
<0.1	5	0.2	13	0.4	16	0.5	18	0.4	13	0.3	
0.1-0.5	6	1.3	6	1.1	5	1.2	3	0.9	3	0.8	
0.5-1	2	1.4	2	1.0	1	0.6	-	-	-	-	
1.0-2.0	2	2.5	-	-	-	-	-	-	-	-	
Total	15	5.4	21	2.5	22	2.3	21	1.3	16	1.1	
		±0.53		±0.20		±0.07		±0.03		±0.02	
Disgrazia											
<0.1	6	0.4	17	0.8	21	0.9	28	1.0	26	0.6	
0.1-0.5	12	3.0	13	2.8	12	2.7	7	1.6	7	1.4	
0.5-1	3	2.2	3	2.4	2	1.5	2	1.3	2	1.1	
1.0-2.0	3	3.7	1	1.1	1	1.1	-	-	1	1.9	
2.0-5.0	2	5.6	2	5.3	2	5.7	2	4.6	1	2.3	
5.0-10.0	1	7.0	-	-	-	-	-	-	-	-	
Total	27	22.0	36	12.4	38	11.9	39	8.4	37	7.3	
		±1.28		±0.59		±0.22		±0.10		±0.09	
Orobie											
<0.1	25	1.1	41	1.4	41	1.4	42	1.0	39	0.9	
0.1-0.5	18	3.9	8	1.8	8	1.7	6	1.0	5	0.9	
0.5-1	1	0.6	-	-	-	-	-	-	-	-	
1.0-2.0	1	1.1	-	-	-	-	-	-	-	-	
Total	45	6.7	49	3.2	49	3.1	48	2.0	44	1.8	
		±0.93		±0.31		±0.12		±0.06		±0.05	

2

3 Supplementary Table S3. Correlation matrix for 10 variables in Livigno sub-region. Correlation coefficients  
4 ≥ 0.4 are typed in bold.

Livigno	AC (%)	GS	MA	S	E <sub>min</sub>	E <sub>max</sub>	ΔE	MAP	E <sub>rc</sub>	CSR
AC (%)	1.00									
GS	<b>0.43</b>	1.00								
MA	-0.22	-0.31	1.00							
S	-0.38	-0.34	0.33	1.00						
E <sub>min</sub>	<b>-0.46</b>	<b>-0.74</b>	0.37	<b>0.42</b>	1.00					
E <sub>max</sub>	<b>0.72</b>	<b>0.67</b>	0.02	<b>-0.53</b>	<b>-0.54</b>	1.00				
ΔE	<b>0.65</b>	<b>0.81</b>	-0.23	-0.55	<b>-0.91</b>	<b>0.84</b>	1.00			
MAP	-0.20	-0.03	0.05	-0.24	0.20	-0.19	-0.23	1.00		
E <sub>rc</sub>	<b>0.77</b>	<b>0.65</b>	0.12	-0.37	<b>-0.44</b>	<b>0.87</b>	<b>0.70</b>	-0.02	1.00	
CSR	<b>0.43</b>	0.36	-0.09	<b>-0.88</b>	-0.26	<b>0.77</b>	<b>0.57</b>	0.23	<b>0.56</b>	1.00

5

6

7

1      Supplementary Table S4. Correlation matrix for 10 variables in Disgrazia sub-region. Correlation  
 2      coefficients  $\geq 0.4$  are typed in bold.


<b>Disgrazia</b>	AC (%)	GS	MA	S	E <sub>min</sub>	E <sub>max</sub>	$\Delta E$	MAP	E <sub>rc</sub>	CSR
AC (%)	1.00									
GS	<b>0.42</b>	1.00								
MA	0.01	-0.13	1.00							
S	-0.14	-0.12	-0.08	1.00						
E <sub>min</sub>	-0.28	<b>-0.74</b>	<b>0.53</b>	0.17	1.00					
E <sub>max</sub>	<b>0.45</b>	<b>0.63</b>	<b>0.51</b>	0.00	-0.18	1.00				
$\Delta E$	<b>0.47</b>	<b>0.89</b>	-0.06	-0.12	<b>-0.81</b>	<b>0.73</b>	1.00			
MAP	-0.13	0.12	0.21	<b>0.50</b>	0.07	0.30	0.13	1.00		
E <sub>rc</sub>	0.35	0.19	<b>0.73</b>	0.15	0.26	<b>0.85</b>	0.33	0.29	1.00	
CSR	0.11	-0.07	<b>0.84</b>	-0.32	<b>0.41</b>	<b>0.52</b>	0.00	0.05	<b>0.71</b>	1.00

3

4      Supplementary Table S5. Correlation matrix in Orobio sub-region. Correlation coefficients  $\geq 0.4$  are marked  
 5      in bold type.

<b>Orobio</b>	AC (%)	GS	MA	S	E <sub>min</sub>	E <sub>max</sub>	$\Delta E$	MAP	E <sub>rc</sub>	CSR
AC (%)	1.00									
GS	-0.06	1.00								
MA	-0.15	-0.04	1.00							
S	0.00	-0.26	-0.13	1.00						
E <sub>min</sub>	<b>-0.40</b>	-0.32	0.30	0.05	1.00					
E <sub>max</sub>	-0.20	<b>0.48</b>	0.03	0.03	0.24	1.00				
$\Delta E$	0.20	<b>0.64</b>	-0.24	-0.02	<b>-0.68</b>	<b>0.54</b>	1.00			
MAP	0.25	-0.03	0.33	0.23	-0.05	-0.12	-0.05	1.00		
E <sub>rc</sub>	-0.03	0.31	-0.06	0.01	0.19	<b>0.75</b>	<b>0.40</b>	-0.01	1.00	
CSR	-0.35	0.29	0.58	<b>-0.51</b>	0.34	0.21	-0.12	-0.09	0.08	1.00

6



7

8      Supplementary Figure S1. Spider-web charts detailing the relative glacier abundance in number (a) and area  
 9      (b) across slope aspects in the three sub-regions.