



## *Supplement of*

# **The influence of surface characteristics, topography, and continentality on mountain permafrost in British Columbia**

**A. Hasler et al.**

*Correspondence to:* A. Hasler (andreas.hasler@unifr.ch)

- Supplement-Cover-Letter.pdf
- BC\_permafrost\_data
  - .DS\_Store
  - .Rapp.history
  - .Rhistory
  - README.rtf
  - R\_source
    - \* .DS\_Store
    - \* .Rhistory
    - \* Ttools.R
    - \* plot\_HUD\_SO&Nfact.R
    - \* plot\_MAT.R
    - \* plot\_MID\_SO&Nfact.R
    - \* plot\_Profile\_psite.R
    - \* plot\_RMAT.R
    - \* plot\_SOTObat.R
    - \* plot\_SOvsAA.R
    - \* plot\_SOvsPRE.R
    - \* plot\_TScompleteness.R
    - \* plot\_TTSMAT.R
    - \* plot\_allTTSMAT.R
    - \* snow\_diode.R
    - \* start\_BC\_Temp.R
    - \* stat\_MAT.R
    - \* stat\_SOTO.R
  - Rdata

- \* .DS\_Store
  - \* STATws.RData
  - \* TTSws.RData
- meta
  - \* .DS\_Store
  - \* MAT\_ref.csv
  - \* PermafrostProbeID.csv
  - \* PermafrostWxID.csv
  - \* SO\_TO\_proflist.csv
  - \* TTS\_clean.csv
- plots
  - \* .DS\_Store
  - \* MAT
  - \* RMAT
  - \* SOTOvsSurf
  - \* SO\_Nfact
  - \* SOvs
  - \* TTSMAT
  - \* data\_quality
  - \* out
  - \* profiles
  - \* thermaldiode
- \_\_MACOSX
  - .\_BC\_permafrost\_data
  - BC\_permafrost\_data
    - \* .\_DS\_Store
    - \* .\_Rhistry
    - \* .\_R\_source
    - \* .\_Rdata
    - \* .\_meta
    - \* .\_plots
    - \* R\_source
    - \* Rdata
    - \* meta
    - \* plots