The Cryosphere Discuss., https://doi.org/10.5194/tc-2020-104-RC2, 2020 © Author(s) 2020. This work is distributed under the Creative Commons Attribution 4.0 License.



TCD

Interactive comment

## Interactive comment on "Simulating Optical Top-Of-Atmosphere Radiance Satellite Images over Snow-Covered Rugged Terrain" by Maxim Lamare et al.

## Anonymous Referee #2

Received and published: 15 July 2020

In my opinion the manuscript is outstanding: it contains a sound description of the theoretical background, a description of the parameters (snow, atmosphere, topography) and a sensitivity analysis.

The field measurements (SSA along transects) during the Sentinel-3 overpass are particularly valuable, since they are used to compare simulated results with scene observations.

I have only a few suggestions to improve the manuscript:

- line 148: E0 extraterrestrial solar irradiance: which model is used (Thuillier 2003) ?



Discussion paper



- the up/down arrow Tdir(arrow\_up or arrow\_down) should be a superscript to Tdir (arrow not standing alone) (concerns all equations and in the running text)

- line 328: inferior to 2 days better: less than 2 days
- Fig. 4: right side: the Radiance unit W m-1 sr -1  $\mu$ m-1 -> W m-2 sr-1  $\mu$ m-1

Question concerning the visual appearance: the study area is 14 km x 18 km, i.e.46 x 60 pixels, so I would expect more blocky structures. Was a certain histogram-stretch applied to make it look smoother?

- Fig. 5 and 6: use of the radiance unit [mW m-2 sr-1 nm-1] (plot ordinate and left scattterplot), which is correct, but I suggest to use [W m-2 sr-1  $\mu$ m-1] as done in the text and in the right plot of the histogram.

## TCD

Interactive comment

Printer-friendly version

Discussion paper



Interactive comment on The Cryosphere Discuss., https://doi.org/10.5194/tc-2020-104, 2020.