## Snow accumulation, albedo and melt patterns following road construction on permafrost, Inuvik–Tuktoyaktuk Highway, Canada

Jennika Hammar<sup>1</sup>, Inge Grünberg<sup>1</sup>, Steven V. Kokelj<sup>2</sup>, Jurjen van der Sluijs<sup>3</sup>, and Julia Boike<sup>1,4</sup>

<sup>1</sup>Permafrost Research Section, Alfred Wegener Institute Helmholtz Centre for Polar and Marine Research, Potsdam, Germany
 <sup>2</sup>Northwest Territories Geological Survey, Government of Northwest Territories, Yellowknife, NWT, X1A 2L9, Canada
 <sup>3</sup>Northwest Territories Centre for Geomatics, Government of Northwest Territories, Yellowknife, NWT, X1A 2L9, Canada
 <sup>4</sup>Geography Department, Humboldt-Universität zu Berlin, Berlin, Germany

Correspondence: Jennika Hammar (jennika.hammar@awi.de)

#### Abstract

Roads constructed on permafrost can have a significant impact on the surrounding environment, potentially inducing permafrost degradation. These impacts arise from factors such as snow accumulation near the road, which affects the soil's thermal and hydrological regime, and road dust that decreases the snow's albedo, altering the timing of snowmelt. However, our current

- 5 understanding of the magnitude and the spatial extent of these effects is limited. In this study we addressed this gap by using remote sensing techniques to assess the spatial effect of the Inuvik to Tuktoyaktuk Highway (ITH) in Northwest Territories, Canada, on snow accumulation, snow albedo and snowmelt patterns. We With a new, high resolution snow depth raster from airborne laser scanning, we quantified the snow accumulation at road segments in the Trail Valley Creek area using digital elevation model differencing. We found increased snow accumulation up to 36 m from the road center. The magnitude of
- 10 this snow accumulation was influenced by the prevailing wind direction and the height of the embankment embankment height. Furthermore, by analysing 43 Sentinel-2 satellite images between February and May 2020, we observed reduced snow albedo values within 500 m of the road, resulting in a twelve days earlier onset of snowmelt within 100 m from the road. We examined snowmelt patterns before, during and after the road construction using the normalized difference snow index from Landsat-7 and Landsat-8 imagery. Our analysis revealed that the road affected the snowmelt pattern up to 600 m from the road,
- 15 even in areas which appeared undisturbed. In summary, our study improves our understanding of the spatial impact of gravel roads on permafrost on snow cover accumulation, due to enhanced snow accumulation, reduced snow albedo and snowmelt patternsearlier snowmelt. Our study underscores the important contribution that remote sensing can provide to improve our understanding of the effects of infrastructure development on permafrost environments.

### 1 Introduction

20 Roads constructed on permafrost are at great risk due to the intense climate warming in the Arctic (Rantanen et al., 2022). While climate warming is inducing permafrost thaw at the global scale (Biskaborn et al., 2019), infrastructure may enhance permafrost degradation at the local scale. Arctic highways alter the local environment, leading to snow accumulation, water ponding at the embankment toe and dust deposition, which are key processes driving permafrost degradation along Arctic highways (Benson et al., 1975; O'Neill and Burn, 2017; Schneider von Deimling et al., 2021). Ground subsidence caused by

- 25 warming or road effects can have a severe impact on infrastructure leading to increased costs for road maintenance and risk of road failure (Nelson et al., 2001). However, as a result of climate change 's impact effects on winter road accessibility (Gädeke et al., 2021) and the increasing resource regional development in northern regions, there has been a surge in infrastructure construction. Over 175 infrastructure projects have been funded For example, half of the more than 200 publicly funded infrastructure projects in the Northwest Territories, Canadasince 2002. 57% of these projects, since 2002 are related to roads
- 30 and highways (Government of Canada, 2023).

Snow drifting in the lee of the road and winter road maintenance lead to snow accumulation at the toe of the embankment (Benson et al., 1975; O'Neill and Burn, 2017). The thermal conductivity of snow, which is low and primarily determined by its density, can range from less than  $0.10 \text{ Wm}^{-1}\text{K}^{-1}$  for loosely packed, fresh snow to over  $0.50 \text{ Wm}^{-1}\text{K}^{-1}$  for densely packed and ripened snow (Zhang, 2005). This is five to twenty times lower than the thermal conductivity of mineral soil (Zhang,

- 35 2005). Consequently, snow is an effective insulator and prevents the soil from cooling during the winter months (Darrow, 2011; Fortier et al., 2011). However, the insulating effect of snow depends on its depth , as well as the timing and duration of snow accumulation. A thin snow cover may cool off the underlying soil because of the high albedo and emissivity of snow (Zhang, 2005) while the insulating effect prevails with increased snow depth (Ge and Gong, 2010), leading to increased soil temperature and thaw depths (Idrees et al., 2015; Park et al., 2015; O'Neill and Burn, 2017). Process-based land surface models
- 40 showed that variation in ground heat loss, refreezing of the active layer and permafrost thaw are most strongly affected by early season snow accumulation (Park et al., 2015). Furthermore, increased snow accumulation adjacent to northern roads provides an additional source of water when it melts, contributing to higher soil moisture and pond formation along the embankment in the spring. The elevated soil moisture due to impeded drainage and subsidence along embankments, in turn, impacts the subsurface thermal regime by delaying soil refreezing through the release of latent heat (Hinkel et al., 2001; Zhang, 2005).
- 45 Arctic highways alter the patterns of snow accumulation, but also affect the snow cover in other ways. In particular, gravel road construction, maintenance and traffic create dust, which settles on the surrounding terrain (e.g., Keller and Lamprecht, 1995; Ackerman and Finlay, 2019; Walker et al., 2022). The dust deposition is influenced by the wind direction and decreases logarithmically from the road (Everett, 1980; Walker et al., 2022). During the snow season (Everett, 1980; Ackerman and Finlay, 2019; Walker et al., 2022). In winter, road dust reduces the snow albedo, particularly
- 50 when dust particles accumulate at the snow surface during snowmelt. This results in an earlier spring snowmelt and <del>, consequently,</del> earlier the earlier onset of soil thaw close to the road (Walker and Everett, 1987).

Due to global warming, the coverage of shrubs has increased and lichen cover has declined in the greater Mackenzie Delta Region of the western Canadian Arctic (Fraser et al., 2014; Nill et al., 2022). This phenomenon can be exacerbated by the presence of roads, as shrubs with relatively low nutrient use efficiencies are favored due to the increased soil nutrient availability

55 resulting from dust deposition and increased soil moisture (Gill et al., 2014; Cameron and Lantz, 2016). As shrubs act as a windbreak, increased shrub growth alters the snow thickness and densityShrubs alter wind speeds and promote snow deposition, altering snow depth and density, and thus the insulating effect of the snow cover (Ackerman, 2018). Tall shrubs also reduce the In addition to this potential warming effect, shrub branches also protrude the snow surface in spring, which lowers the albedo and may lead to earlier snowmelt and thus a longer summer season (Marsh et al., 2010; Wilcox et al., 2019). In contrast, during

- 60 summer, the presence of shrubs reduces the solar radiation at the soil surface, leading to cooler soils and potentially shallower thaw depths (Lawrence and Swenson, 2011; Myers-Smith and Hik, 2013). However, the reduced availability of light, water and nutrients for mosses , while has a negative impact on mosses growing below the shrubs (Gill et al., 2014). This, together with heavy dust depositioneradicates low-growing mosses and lichens (Raynolds et al., 2014). This, in turn, results in a decline in moss and lichen cover, which may decrease thermal insulation of the ground in summer, further amplifying soil warming
- 65 (Raynolds et al., 2014).

In the present study, we focus on the Inuvik to Tuktoyaktuk Highway (ITH) in Northwest Territories, Canada (NWT). The highway corridor traverses the ecoclimate gradient of the treeline characterized by a northward decrease in snow and permafrost temperatures (Kokelj et al., 2017) and is characterized by a heterogeneous topography and ice-rich permafrost, which is particularly vulnerable to climate change (Rampton, 1988; Burn and Kokelj, 2009). The highway was only recently

70 constructed and therefore recently constructed highway provides a unique opportunity to study its impacts on ice-rich and thaw sensitive permafrost from the beginning the evolution of impacts through time.

In situ measurements, including snow depth or albedo, help to derive important information on processes locally. However, such local information may not be applicable or extendable to another section of the road. At the date of writing, we are not aware of any other studies that have quantified the snow accumulation enhancement along a permafrost gravel road with other

- 75 methods methods other than point-wise snow depth measurements (Benson et al., 1975; O'Neill and Burn, 2017). However, point observations are limited to typically comprised of a few transects with limited maximum distance to the road. Drone imaging have been successfully used has been used successfully to determine snow depth distribution and snowmelt timing in the Trail Valley Creek (TVC) watershed, also located along the ITH corridor, using structure from motion techniques (Wilcox et al., 2019; Walker et al., 2021). In addition, the use of drone imaging techniques has facilitated the observation
- and quantification of permafrost processes and infrastructure impacts due to thaw near infrastructure (van der Sluijs et al., 2018). Rapid advances in drone technology have expanded applications beyond line-of-sight (van der Sluijs et al., 2023b) comparable with conventional light detection and ranging (LiDARairborne laser scanner (ALS) coverage. However, to our knowledge, drone-based mapping has not yet been used to assess snow accumulation along Arctic highways and LiDAR ALS data is typically only collected in summer for infrastructure and thermokarst mapping (van der Sluijs et al., 2018).
- Passive satellite microwave-based estimates of snow depth are generally too coarse with spatial resolutions of 25 km and a saturation of around 0.8 m snow depth, which limits the usability for applications their application where higher spatial resolutions are required (Lievens et al., 2022). Compared to drones, satellite remote sensing offers the advantage of wider spatial coverage and longer time series, enabling the retrieval of physical surface parameters that serve as indicators of permafrost degradation at larger scales. Snow cover percentage can be well-studied-assessed by optical remote sensing because of its spectral prop-
- 90 erties, making it distinguishable from snow-free areas (e.g. Hall et al., 1995; Macander et al., 2015; Morse and Wolfe, 2015) snow free areas (e.g., Hall et al., 1995; Macander et al., 2015; Morse and Wolfe, 2015).

Our study utilized remote sensing techniques to investigate the effects of the ITH on snow conditions. We analyzed snow depth, snow albedo and snowmelt patterns using LiDAR ALS data, Sentinel-2 satellite imagery , and Landsat data. The specific objectives of this paper are to (1) quantify the influence of embankment height and aspect on snow accumulation, (2) assess

95 the impact of road dust on snow albedo and its variation with distance from the road and (3) determine how road dust impacts snowmelt patterns dust has affected snowmelt by comparing the patterns of melt along the road corridor before, during , and after road and after ITH construction.


#### 2 Datasets & Methods

#### 2.1 Study site

- 100 Our study site was the ITH, which is a 138 km all-weather gravel highway to the east of the Mackenzie Delta in Northwest TerritoriesNWT, Canada (Fig. 1). The highway's construction began in 2014 and it was officially opened in 2017. In order to The embankment height varies along the road depending on the topography and ice content (Kiggiak - EBA, 2011), reaching heights up to 12 m (De Guzman et al., 2021). To protect the underlying thaw-sensitive permafrost, the highway was constructed with an embankment that had a minimum design thickness of 1.3 m minimum design height was 1.4 m (Kiggiak - EBA, 2011).
- 105 This was designed to accommodate consolidation of the initially frozen embankment with the intent of maintaining an active layer above the native permafrost. This embankment included The embankment includes the 8 m to 9 m wide highway and slopes of 33 % on both sides. The embankment height varies along the road depending on the topography and ice content (Kiggiak - EBA, 2011). Moreover, the highway was built using fill but no cuts into the terrain to minimize the disturbance of the permafrost (Kiggiak - EBA, 2011). Since its official opening, ongoing maintenance efforts have been undertaken on the
- 110 road to address ground subsidence and embankment settlement. These maintenance activities have involved the replacement and installation of culverts, as well as regular grading to ensure a passable surface surface.

The ITH is located within the continuous permafrost zone on the uplands east of the Mackenzie Delta and traverses the treeline zone through the physiographic regions of the Anderson Plain in the south and the Tuktoyaktuk Coastlands in the north (Mackay, 1963; Rampton, 1988). The term "treeline zone" is utilized to refer to the transition area between boreal forest

- 115 and tundra, implying that the change is not abrupt, and a gradient of tree densities and heights can be observed within this zone (Antonova et al., 2019). The region south of the taiga-tundra transition treeline zone is characterized by open spruce woodlands and peat plateaus. Tree cover decreases northwards and transforms to tundra with tall shrubs at the southern edge of the transition zoneand treeline zone, while the northern edge is characterized by sedges and dwarf shrubs at the northern edge of the transition zone (Burn and Kokelj, 2009). Sedges, grasses, ericaceous shrubs and lichens dominate the low aretic-Arctic tundra
- 120 north of the treeline zone (Burn and Kokelj, 2009). The landscape is characterized by a lake-rich, hummocky and rolling terrain. The subsurface material predominantly originates from ground moraines (fine-grained stony tills) of the Late Wisconsin glacial episode (Duk-Rodkin and Lemmen, 2000) with some interceptions of alluvial, glaciofluvial and lacustrine deposits. The subsurface material is frequently ice-rich and consequently sensitive to climate change (Burn and Kokelj, 2009) as demonstrated by the spatial distribution and increasing activity of retrogressive thaw slumps in this area (van der Sluijs et al., 2023a). The



**Figure 1.** (a) The Inuvik–Tuktoyaktuk Highway (ITH) in Northwest Territories, Canada with kilometers shown as white numbers. The location of the snow accumulation analysis close to Trail Valley Creek (the TVC) research station is highlighted in red (at km 27, 28-27–28 and 42.5–45.5). The inset map at the top left depicts the location of the study area in North America and the orange square highlights the example chosen for the snow cover image in Fig. 6a–ba,b. The treeline zone (Brandt, 2009) is shown as white dashed line. Base map: Sentinel-2 cloudless data by EOX IT Services GmbH. Photos of the highway on (b) August 24, 2022 (photo credits: I. Grünberg), (c) on April 23, 2022 (photo credits: J. van der Sluijs) and (d) a drone image (km 42) taken with a Sensefly eBee Plus RTK on April 23, 2022 (photo credits: J. van der Sluijs).

125 mean annual air temperature for 1990–2020 was  $-7.1 \,^{\circ}C$  and  $-8.9 \,^{\circ}C$  at Inuvik and Tuktoyaktuk, respectively (Environment and Climate Change Canada, 2021). The mean annual ground temperature <u>in undisturbed terrain</u> ranges from approximately  $-1 \,^{\circ}C$  in the taiga regions near Inuvik to approximately  $-6 \,^{\circ}C$  in low-shrub tundra near Tuktoyaktuk (Kokelj et al., 2017). The permafrost thickness ranges from 100 m near Inuvik to 500 m in the northern parts of the study area (Mackay, 1967; Judge et al., 1979; Burn and Kokelj, 2009).

#### 130 2.2 Methods objective 1: Snow accumulation at the embankment

To understand the influence of the road on the snow accumulation, we performed differencing between two elevation datasets, one <u>snow-covered snow covered</u> digital elevation model (further referred to as <u>snow-covered snow covered</u> DEM) and one <u>snow-free snow free</u> digital terrain model (further referred to as <u>snow-free snow free</u> DTM). For this analysis, we assumed that only the snow influences the elevation differences. We used a <u>snow-free snow free</u> DTM by Lange et al. (2021), which

- 135 was derived from airborne laser scanner (ALS ) ALS data with average point density of 11.93 pts/m<sup>2</sup> 11.9 pts/m<sup>2</sup> acquired on August 29, 2018 using a Riegl LMS-Q680i on board onboard the Alfred-Wegener-Institute's (AWI) plane POLAR 5 , a research aircraft, a modified Basler BT-67plane. The coordinate system for the snow-free snow free DTM is WGS 1984, UTM 8N (EPSG 32608). The snow-free snow free DTM has accuracy and precision levels of 0.03 m and 0.05 m respectively, both derived from global navigation satellite system (GNSS) measurements conducted during August 2018 (Lange et al., 2020).
- 140 However, the snow-free snow free DTM likely overestimates terrain elevation in areas of dense vegetation, leading to an underestimation of snow depth in those areas.


The snow-covered snow covered DEM was derived from a second ALS survey onboard the POLAR-5 science aircraft on April 10, 2019, representing the temporal window when the snowpack reaches its maximum depth during spring (Spark, 2023). The laser scanner was a Riegl VQ-580 which is specially designed to measure on snow and ice (Riegl, 2021). To create a DEM

- 145 from the binary point-cloud data, we extracted the xyz-data and applied an atmospheric backscatter filter using the pythonpackage awi-als-toolbox (Hendricks, 2019). We indexed and chunked the point clouds into tiles with a temporary buffer of 20 m to avoid edge artifacts during the classification using LAStools. To distinguish ground points from non-ground points, we applied the Simple Morphological Filter (SMRF) (Pingel et al., 2013) using the Point Data Abstraction Library (PDAL) (PDAL contributors, 2022). We interpolated the ground-classified dataset with inverse distance weighting (IDW) using the
- 150 PointS2Grid Points2Grid approach integrated into PDALwith a circular neighbourhood, with the default circular neighborhood search radius of *grid resolution*  $\sqrt{2}$ , resulting in a radius of 1.41 m. The format of the final gridded dataset was GeoTIFF with 1 m cell size and the coordinate system WGS 1984, UTM 8N (EPSG 32608). The method what which we have implemented for the ground classification and DEM generation is further described in Bookhagen (2018). In this study, we focused on the intersection of the two DEMs and the ITH spanning 4 km of the highway (Fig. 1). We subtracted the snow-free Snow free DTM from
- 155 the snow-covered DEM to obtain the snow depth distribution(Hammar et al., 2023) (submitted to PANGAEA ). The created snow covered DEM and snow depth distribution datasets are published on PANGAEA (Hammar et al., 2023).

We created 140 m long transects (n = 4026) perpendicular to the road every 1 m over the ITH centerline using GRASS GIS<del>and</del>. This ensured comprehensive coverage of the entire section of highway from which we have data. Subsequently, we extracted the snow depth values. Unfortunately, we did not have point measurements of snow depth to validate our data

160 set<u>dataset</u>. As an alternative approach to assess the accuracy of the snow depth raster, we used the transect sections over the road surface as a reference, assuming that it was free of snow and at the same elevation in both <u>data setsdatasets</u>. Consequently, the snow depth should be close to zero over the road. Our snow depth product has a high accuracy with a median snow depth

of <1 cm at the road surface and a standard variation of 5 cm (Fig. 2). Because of the high accuracy of the snow depth product, we did not perform any co-registration or shifting of the snow-covered snow covered DEM.



**Figure 2.** Snow depths derived from 5 m long transects across the road (n = 4026). The center lines indicate the median snow depth of all grid cells at a given distance from the approximate center location of the road, the box covers the 25th to 75th percentile and the whiskers the 5th to 95th percentile.

We assigned each transect an angle between 0° to 180° using the field calculator in QGIS. We categorized transects with angles <45° or >135° in relation to the north-south to the north-south direction (n = 973), while those with angles within 45° to 135° were classified as in line with the east-west east-west direction (n = 3053). In order to determine the embankment height, we required an elevation model without the embankment. For this, we clipped the snow-free snow free DTM with a 10 m buffer around the centerline of the road, and interpolated the clipped no data areas with a maximum search radius of 100 m. Next, we subtracted this interpolated no-road DTM from the initial DTM and determined the height difference at the roads centerline for each transect. We divided the embankment heights into equal intervals and categorized them as low (n = 2051, 0.3 m to 0.9 m), intermediate (n = 1335, 0.9 m to 1.4 m), and high embankments (n = 640, 1.4 m to 2 m). We analysed

the snow depth distribution based on distance to the road center, cardinal direction and embankment height.

We used ERA5 snow depth data from 1950–2022 (Muñoz Sabater, 2019) with a horizontal resolution of 0.1° by 0.1° to
 assess whether or not April 2019 was representative for typical spring conditions. To achieve this, we calculated the daily average snow depth for each year from the nine nearest pixels surrounding the transects. To our knowledge, there are no ERA5 validation studies of snow depth in the study area and therefore, this assessment was conducted without knowing local accuracy and precision.

#### 2.3 Methods objective 2: Road dust and snow albedo

180 To examine the temporal variation and the spatial extent to which the dust from the ITH affect the snow albedo, we utilized 43 Sentinel-2 images between February 15 and May 30, 2020. We selected Sentinel-2 for this analysis because of the finer spatial resolution in the utilized bands (10 m to 20 m) as compared to Landsat (30 m). Surface snow albedo is affected by surface characteristics such as particle size, water content, impurity content, surface roughness, crystal orientation and structure (Zhang, 2005). Therefore, snow albedo can be strongly reduced by road dust. The broadband albedo is defined as the ratio of

- 185 the reflected to the incident flux density from a unit surface area for the entire solar radiation spectrum (300 nm to 3000 nm) while narrowband albedo is the same ratio at a narrow range of wavelengths (Cogley et al., 2011). To obtain broadband albedo from satellite imagery, four steps are required (Traversa et al., 2021; Ren et al., 2021): (1) Cloud masking and atmospheric correction, which removes the scattering and absorption effects of atmospheric gasses and aerosols, (2) topographic correction, which corrects for the surface slope and aspect effects resulting in reflectance values that would be recorded over the equivalent
- 190 horizontal surface (Wen et al., 2009), (3) anisotropy correction, which employs bidirectional reflectance distribution functions (BRDF) to correct for the anisotropic reflectance of a surface under varying illumintation conditions, illumination conditions and (4) Narrowband to Broadband (NTB) conversion.

As we focused on relative differences in albedo and not on absolute values, we did not implement topographic or anisotropic corrections. We used atmospherically corrected Sentinel-2 data (bottom of atmosphere) available in Google Earth Engine (GEE). We pre-processed the Sentinel-2 images using the GEE python application programming interface.

195

215

For cloud masking, we used the s2cloudless machine learning-based cloud detector developed by the Sentinel Hub research team, which uses cloud masks created by MAJA (Hagolle et al., 2017) as proxy for ground truth (Zupanc, 2019). Compared to other widely used cloud detection algorithms, s2cloudless has a high cloud detection rate and a lower misclassification rate of land and snow as clouds (Zupanc, 2021). Cloud probability for each pixel at 10 m scale is provided for every image

- 200 in the Sentinel-2 archives in GEE, giving each image a corresponding s2cloudless image. The cloud probability is based on the pixel's Sentinel-2 band values (Zupanc, 2020) and the cloud shadow is defined by cloud projection intersection with lowreflectance near infrared (NIR) pixels (Miceli and Braaten, 2020). In this study, we applied the script by Miceli and Braaten (2020) with 40 % as threshold for cloud probability, 0.15 as threshold for NIR reflectance, a 50 m buffer to dilate the edge of cloud-identified objects and a maximum distance of 2 km to search for cloud shadows from cloud edges.
- For the NTB conversion, we used the Liang et al. (2003) albedo formula. While it was initially developed for Landsat 5/7 data, it has been tested with the same empirical weighting parameters for the corresponding bands of Sentinel-2 (Naegeli et al., 2017). The formula provided good estimates for mean albedo values for glaciers (Naegeli et al., 2017) and thus, we expected the same performance for snow covered surfaces. The formula from Liang et al. (2003) adopted to the bands of Sentinel-2 (blue -\_\_b\_2, red -\_\_b\_4, NIR -\_\_b\_8 and the two bands of shortwave infrared (SWIR); SWIR1 -\_\_b\_{11} and SWIR2 -\_\_b\_{12}) as suggested by Naegeli et al. (2017) is as follows:

$$\alpha_{\text{Liang}} = 0.356 \,\mathbf{b}_2 + 0.130 \,\mathbf{b}_4 + 0.373 \,\mathbf{b}_8 + 0.085 \,\mathbf{b}_{11} + 0.072 \,\mathbf{b}_{12} - 0.0018 \tag{1}$$

To obtain the albedo from only the snow, we masked snow-free snow free pixels and open water using the normalized difference snow index (NDSI) and normalized difference water index (NDWI), respectively. NDSI helps to discriminate snow, ice and water from bare soils and clouds (Dozier, 1989) by taking advantage of the high reflectance characteristics of snow and ice in the visible spectrum and the absorption in SWIR1. NDSI is defined as the difference between the green (b<sub>3</sub>) and the

8

SWIR1 (b<sub>11</sub>) reflectance divided by their sum (Hall et al., 1995):

$$NDSI = \frac{\mathbf{b}_3 - \mathbf{b}_{11}}{\mathbf{b}_3 + \mathbf{b}_{11}} \tag{2}$$

Following Hall et al. (1995), ice, snow - and water were identified by a NDSI threshold value of >0.4, whereas bedrock and bare soils were identified by a value of <0.4. NDWI was proposed by McFeeters (1996) to delineate open water features. The</li>
index aims to use the green band to maximize the reflectance of the water body and the high absorption of NIR wavelengths to minimize it (McFeeters, 1996). It is defined as the difference between the green and NIR bands divided by their sum:

$$NDWI = \frac{\mathbf{b}_3 - \mathbf{b}_8}{\mathbf{b}_3 + \mathbf{b}_8} \tag{3}$$

To mask the open water, we applied a NDWI threshold of  $0.4_{2}$  which we determined based on visual interpretation.

For the pixel based analysis, we generated 120 buffers in 5 m intervals along the vectorized road, excluding the road and embankment. We extracted the snow albedo values in the buffer zones using the extract function in the eo-box Python package (Mack, 2018).

#### 2.4 Methods objective 3: Spatial extent of early snow free areas

To determine how road dust affects the spatial extent of snowmelt, we assessed the fraction of snow-covered snow covered pixels along the corridor of the ITH with Landsat-7 and -8 imagery in May or June, when the landscape was still partly snow eovered covered by snow. We decided to use Landsat rather than Sentinel-2 because of the longer time series. We expected

that even before road construction, the higher elevated and drier areas, which were chosen for building the ITH, would, on average, have less snow cover than lower lying neighbouring terrain. To isolate the road effect, we compared imagery before (2002-05-17 and 2006-05-19, Landsat-7), during (2015-05-13, 2016-05-06 and 2017-05-18, Landsat-8) and after (2018-05-30, 2019-05-17 and 2020-05-26, Landsat-8) road construction. The imagery for these dates were cloud-free and showed a

235 landscape that was partially covered with snow.

230

The snowmelt pattern analysis followed the workflow in Fig. 3. First, we calculated the NDSI for each image and created a snow mask. Second, we created a water mask using the NDWI of a snow-free snow free image from August 2019 and applied it to all images to remove the water bodies. Using both masks, we divided all pixels into (I) snow-free snow free ground, (II) snow and (III) water or ice. Last, we extracted the pixel categories and the pixel coordinates in a 1000 m buffer zone from the road using the extract function in the eo-box Python package (Mack, 2018). With the pixel coordinates we calculated the distance

of every pixel to the road edge using the QGIS tool "distance to nearest hub". To obtain percent snow cover, we divided the pixels that were classified as snow by the total number of land pixel per 5 m distance along the entire 138 km of the road.

The total snow cover observed in the Landsat images varies across the different years, due to multiple contributing factors such as photo timing and climate variability, making it difficult to compare the road effect between the years. To focus on the

245

240

5 road effect exclusively, we normalized the snow cover by calculating the snow cover average for each year at distances between 900 m to 1000 m. At this distance, it is reasonable to posit that the impact of the road is negligible (Everett, 1980; Ackerman and Finlay, 2019). We used this average value as a normalizing value  $\frac{1}{2}$  and divided each snow cover value by this value.





Figure 3. Processing chain for snow discrimination using Landsat data.

#### 3 Results

#### 3.1 Snow accumulation at the embankment

- The ITH embankment increased snow accumulation on both sides of the road (Fig. 4a). The region of enhanced snow accumulation reached up to 36 m from the road center at north facing north-facing embankment slopes with the strongest greatest accumulation at 10 m to 26 m (Fig. 4a). Within this 16 m distance, we found range, we estimated a median snow depth up to 0.92 m, representing the maximum median value observed within the 1 m increments on the transects. In south southern direction, we measured enhanced snow accumulation up to 20 m from the road center and the median snow depth within the strongest highest accumulation zone (between 9 m to 14 m) was up to 0.88 m (Fig. 4a). Furthermore, the median snow depth farther away from the road was generally greater on the northern side (0.5 m) than on the southern side (0.3 m). As shown by the 25th–75th percentiles, the snow depth variability increased with increasing snow accumulation for both sides. The snow depth variability was generally larger greater on the northern side than the southern side. Moreover, the northern side showed a double peak in snow depths as represented by the 75th percentilescompared to-, whereas the southern side that showed showed
- 260 only one snow depth peak. The average snow depth at the northern and western sides of the embankment matches well with the regional average snow depth obtained from the ERA5 snow depth product of 0.5 m at the day of our data acquisition (April 10, 2019). According to the ERA5 dataset, the multi-year average snow depth at this date is 0.6 m (1950–2022) and thus 0.1 m more than in April 2019. The ERA5 dataset also showed that the onset of rapid snowmelt did not start until one month later.
- As compared to north-south north-south direction, more transects in the study area were located in east-west cast-west direction (n=973 versus n=3053). Enhanced snow accumulation reached up to 36 m and 25 m from the road center at the western and eastern side, respectively (Fig. 4a). We found the deepest snow within a distance of 10 m to 20 m from the road center on the western side (median snow depth up to 1.09 m) and a distance of 10 m to 16 m on the eastern side (median snow up to 0.97 m).

The snow accumulation characteristics varied with embankment height (Fig. 4b). The snow accumulation enhancement 270 increased snow accumulation for all embankment heights reached distances up to 36 m (Fig. 4b) from the road center. For low



**Figure 4.** Snow accumulation derived from n = 4026 transects across the road at (a) north – south north – south (n = 973, blue) and east – west east–west (n = 3053, red) facing embankment slopes and at (b) low (n = 2051, 0.3 m to 0.9 m, blue), intermediate (n = 1335, 0.9 m to 1.4 m, red) – and high embankments (n = 640, 1.4 m to 2 m, yellow). The coloured lines indicate the median snow depth of all grid cells at a given distance from the approximate center location of the road, the shades represent the 25th–75th percentiles. (c) shows the predominant wind direction for the Trail Valley Creek study site (October 2018 – April 2019 (climate identifier: 220N005, current station operator: Environment and Climate Change Canada – Meteorological Service of Canada) (Environment and Climate Change Canada, 2021).

embankments (ranging from 0.3 m to 0.9 m) the median snow depth was up to 1.03 m at the embankment toe. For intermediate embankments heights (0.9 m to 1.4 m) the median snow depth was up to 1.16 m and the variation in snow depth was more pronounced at greater distances from the road compared to other embankment heights. The higher highest embankments, measuring 1.4 m to 2 m in height at the studied road segments, exhibited a median snow depth of up to 1.32 m.


At the Trail Valley Creek research station close to the study area, the predominant wind direction between October 2018 and April 2019 was south (Fig. 4c). This period corresponds to the winter months preceding snow depth data acquisition. Eastern and western wind directions occurred approximately equally often, but wind from the east was, on average, stronger. Relative

to the typical meteorological conditions recorded between 1998 and 2021, easterly winds were more frequent during the study period (Environment and Climate Change Canada, 2021).

#### 280 3.2 Snow albedo decrease

285

We found that during the snowmelt period, the snow albedo decreased earlier in areas close to the road as compared to 500 m away (Fig. 5a,c). Before 5 April, snow albedo was similar at all distances from the road embankment edge ranging from 0.5 to 0.83 for different dates. From April 5 to May 8, snow albedo close to the road was already decreasing, while snow albedo at more than 200 m distance remained high. The largest difference of snow albedo by distance to the road was around May 13, when the closest pixels (20 m distance) showed snow albedo values of only 0.45 while albedo at 900 m from the road was around 0.7. Afterwards, the variation gradually decreased again but consistently followed the same pattern, with the closest distance to the road edge displaying the lowest albedo values and the farthest distance showing the highest values.



**Figure 5.** Snow albedo and snow cover fraction for Sentinel-2 pixels of a certain by distance to the road embankment edge for March 27 to May 30, 2020; <u>left panels:</u> (a) time series of average snow albedo for seven distances, and (b) time series of percentage of snow covered pixels for seven distances, right panels: (c) median snow albedo for seven selected dates and (d) percentage of snow covered pixels for seven selected dates by distance to the road edge; please note that the legends of the bottom panels also apply to the top panels.


The study area was fully snow covered throughout the winter until May 8 (Fig. 5b, derived from the NDSI). In the following two weeks, the snow cover close to the road decreased drastically. Areas far away from the road edge (500 m to 900 m) remained almost fully snow covered until May 20. Thereafter, the snow melted fast and at rapidly and by May 30, undisturbed areas showed a snow coverage of 30 %. Close to the road, the snow started to melt twelve days earlier than at distances farther

290

away and on May 30 the area nearby the road was snow-freesnow free. The onset of the snowmelt for the distances 50 m and 100 m was similar as for 20 m but the rate was slower and more area remained snow-covered snow covered at May 30 as compared to 20 m from the road edge (Fig. 5b). Areas more than 500 m from the road edge do not reveal decreasing snow albedo or earlier melt than at 1000 m distance (Fig. 5e-dc,d).

#### 3.3 Spatial extent of early snow free areas

We found that snow close to the road melted earlier. As an example, this is illustrated in Fig. 6a-ba,b, which shows a true color composite and a section of the classified landscape from a Landsat-8 image from May 30, 2018.



**Figure 6.** (a) a true True color composite of a partly melted landscape (May 30, 2018, Landsat-8 image), (b) classified landscape with snow covered areas (white), snow free areas (orange) and the water bodies (blue) which were masked using an NDWI threshold on a Landsat-8 image of late summer, (c) presence of snow with distance from ITH derived from Landsat-7 and -8 images using NDSI and (d) relative snow cover as fraction of the value far away from the road (900 m to 1000 m). The images before road construction were from May 17, 2002 and May 19, 2006, during construction from May 13, 2015, May 6, 2016 and May 18, 2017 and after construction from May 30, 2018, May 17, 2019 and May 26, 2020. (a) and (b) depict an example section of the study area (area highlighted in orange in Fig. 1), while (c) and (d) show data from the entire 138 km long road.

300

In general, the selected images captured during the snowmelt consistently revealed The selected images for the late snowmelt period following the start of road construction (2015–2020) clearly showed lower snow cover in proximity of the road, including the imagery before proximal to the road (Fig. 6c,d). There is also evidence of slightly lower snow cover along the road path prior to construction (2002 and 2006, green in Fig. 6c–d). However, ), but the magnitude of this effect differed between the time before construction other years. The images from spatial pattern is much stronger following construction.

For example, in May 2002 and 2006 showed a homogeneous snow cover pattern of the study area of 60% and 80%, respectively.

305 The variation of snow cover with distance was almost identical for the images before construction years despite the differences in absolute the snow cover values. We observed a gradual decrease towards the (at that time not yet constructed) road of approximately 5% to 10% at distances starting at 100 m from the road for both years. Furthermore, the were approximately 5% to 10% lower within 100 m of the future road route than at distances between 100 m and 1000 m. The snow cover pattern of the year 2015, which corresponds to the period when the quarries were established but not the primary road, exhibited similar shape to a similar shape as the preceding years.

In 2016, the construction of the road had a strong impact on the snowmelt pattern. Nearly the entire landscape farther from the road was snow covered in the May 6, 2016 image (80% to 90%). Still, , while the area in the vicinity of the road was almost snow-freesnow free. The snowmelt patterns in the imagery from 2017, 2018 and 2020 were similar, both in shape and absolute values of snow cover. The snow cover decreased from was lowest at the road edge (5%), increasing abruptly to about

20% (±5%) at within a distance of 150 m from the road edge to 5% in road vicinity. At distances between 500 m and 150 m from the road edge, there was a gradual decrease from 30% (±5%) to 20% followed by a more gradual increase to about 30% (±5%) while snow cover at 500 m. Beyond this distance, the snow cover showed stable values beyond 500 m. Although the image from 2019 showed a larger total snow cover than 2017, 2018 and 2020, the road effect was similar. A gradual decline became apparent at a distance of 500 m towards the road and the largest road effects. The greatest road effect occurred within 320 the first 150 m followed by a gradual increase in snow cover until a distance of 500 m.

To compare the snow cover of the two sides of the road, we subtracted the percentage of snow cover on the road's eastern side from its western side (not shown). Of all the years, only 2016 had a large difference in snow cover fraction between the eastern and western sides of the road. In the 2016 image, the western side showed less snow cover at all distances, with largest differences at distances between 50 m to 500 m. In other years, the difference between the two sides fluctuated around zero  $(\pm 10 \text{ percent points})$ 

325 ( $\pm 10$  percent points).

2015/2019 and 2016–2018/2020, respectively.

330

The impact of the road on the snow cover becomes more evident when it is compared to undisturbed areas after normalization (Fig. 6d). A normalized snow cover value of 1 indicates that the snow cover at a given distance to the road is comparable to the undisturbed reference areas. All Landsat images exhibited values close to 1 beyond distances of 600 m from the road edge, indicating a state of similarity with undisturbed areas. The images from before the construction (2002 and 2006) remained around the value of 1 at closer distances, indicating an undisturbed state. The strongest differences in snow cover compared to the undisturbed region occurred within distances of 150 m from the road edge for the images from during and after construction. We observed the effects of the road as the onset of a negative trend in normalized snow cover at 400 m and 600 m for the years

#### 4 Discussion and outlook

#### 335 4.1 Snow accumulation at the embankment

Snow depth estimates from airborne data along transects across the road revealed enhanced snow accumulation at both sides of the road. This result is in line with other studies based on manual snow surveys (Benson et al., 1975; O'Neill and Burn, 2017). O'Neill and Burn (2017) manually measured the snow depths along transects in tundra and forest at the Peel Plateau at along the Dempster Highway on the Peel Plateau (Northwest Territories, Canada) and found an enhanced snow accumulation

- at the embankment in the tundra landscape. They noted observed a significant enhancement at a distance of about 5 m to 15 m from the side of the road and then a decreased ecline with greater distance from the road. Manual snow surveys are very labour intensive. Therefore, the study by O'Neill and Burn (2017) includes only six transects in tundra and a maximum distance of 50 m to the road. In contrast, the remote sensing data enabled us to analyse more than 4000 transects of up to 70 m from the road center. The large number and high density of transects allows the controls on patterns of variation and controls in snow
- 345 <u>cover</u> to be explored <u>over larger areasacross different spatial scales</u>. In this way, we showed that a gradual increase of snow accumulation reached as far as 36 m away from the road center. The differences in enhanced snow accumulation compared to (O'Neill and Burn, 2017) O'Neill and Burn (2017) may be attributed to different methodology, precipitation, wind-regimes, vegetation and terrain geometry as well as embankment configuration.

In general, snow accumulation at the embankment can be caused by snow plowing and additional snow collection redistribution

- 350 when the embankment acts as a wind break wind break and by snow plowing. While we expect snow plowing to enhance snow accumulation equally on both sides and irrespective of the embankment shape, wind induced wind-induced accumulation is likely affected by the local conditions. Based on the findings of Benson et al. (1975) and Liston and Sturm (1998) and Snow accumulates preferentially on the lee side of the road (e.g., Benson et al., 1975; Liston and Sturm, 1998). Based on the prevailing southern winds in our study area (Fig. 4c), we expected enhanced snow accumulation in the lee towards the north of the
- 355 roadtowards the north can be expected. This was confirmed by our results (Fig. 4a). The transects in north direction (leeward side) showed more snow accumulation reaching up to 36 m from the road center as compared to 20 m at the southern side. At our specific location, the more strongly enhanced snow accumulation at the northern side could also be induced influenced by the topographic location of the transects. For the road sections studied, the north-facing side was generally located at higher elevations than the south-facing side. At a distance of 60 m from the road, the elevation towards the road decreased by an
- average of 1.4 m. Close to the embankment, the slope suddenly changed due to the construction rapidly changes, which can cause turbulence and snow deposition.

In the <u>east-west east-west</u> direction, the frequency and average wind speed were similar with slightly stronger winds from the east (Fig. 4c). The similar frequency of wind directions was reflected in the snow accumulation for the transects in <u>east-west</u> east-west direction, which showed similar snow depth patterns on both sides in contrast to <u>north-south north-south</u> facing em-

365 bankments (Fig. 4a). However, for the transects in west western direction, the enhanced snow accumulation reached distances farther away greater distances from the road center. But also here the topography may However, topography may also play an important role as the western side was located at higher elevation compared to the eastern side. Another possibility is that events of very strong winds, which are more frequent for wind when the wind is coming from the east, have a disproportionally disproportionately large effect on snow redistribution.

- 370 For the road sections in our snow accumulation analysis (4 km of the total 138 km length), we had a wide range of embankment heights available, embankment heights ranging from 0.3 m to 2 m. With this Exploring this variability, we showed that the embankment height influenced the magnitude of the snow accumulation. The embankments that we classified as high "high" had, on average, 0.3 m deeper snow as compared to low embankments (Fig. 4b). The high embankmentsHigher embankments, locally as high as 12 m (De Guzman et al., 2021), are used on road sections with particularly vulnerable ice-rich
- 375 permafrost to prevent the underlying permafrost from thawing (Kiggiak EBA, 2011). However, due to increased snow accumulation, high embankments are one factor within the complex feedback system that could potentially contribute to the degradation of permafrost . The low embankments, on at the embankment toe. On the other hand, also had more snow accumulated even low embankments increased snow accumulated as compared to distances farther away. One important contributing factor to this extra snow accumulation is likely the snow plowingSnow plowing may also contribute to enhanced accumulation along
- 380 the embankment. Typically, low embankments with gentle slopes should facilitate a laminar flow of wind, enabling it to blow the snow away (Lanouette et al., 2015).

It should be noted that our snow accumulation results only represent road sections in the tundra landscape. The snow accumulation along the embankment is probably less may be less pronounced further south along the road where trees provide shelter and prevent, where trees reduce winds and inhibit snow drifting (O'Neill and Burn, 2017) and may also vary further

385 north. Notwithstanding these limitations, these results give us a better understanding of the spatial distribution of snow next to a permafrost road embankment in a tundra environment.

Snow accumulation was identified as one of the key factors contributing to permafrost degradation and increased thaw depths along infrastructure (Park et al., 2015; Schneider von Deimling et al., 2021). The insulating properties of deep snow lead to warmer ground temperatures in winter  $\frac{1}{2000}$  thus increases the thickness of the active layer (Gouttevin et al., 2012). In addition,

390 the in the following summer (Gouttevin et al., 2012). Moreover, increased snow accumulation serves as an additional source of water when the snow melts, contributing contributes to higher soil moisture and pond formation along the embankment in the spring anddelaying and, thus, a delayed soil refreezing in autumn due to latent heat release (Zhang, 2005). The (Zhang, 2005). Due to the limited data availability, we studied snow accumulation patterns at a single date (April 10, 2019). According to a solution of the second se

the ERA5 dataset, April 2019 had 0.1 m less than average snow depth but rapid snowmelt had not started by the time of data acquisition. Furthermore, the spatial pattern of snow distribution remains stable from year to year (Sturm and Wagner, 2010). Therefore, the map of snow distribution and snow depth we produced could be integrated into permafrost degradation and

blowing snow models and contribute to their validation and improvement.

#### 4.2 Snow albedo decrease

We provided the first Sentinel-2 derived snow albedo time series along the ITH for the year 2020. We found similar Remotely-sensed snow albedo values at were similar across all distances from the road until April 5, 2020 throughout winter, until early April (Fig. 5). This indicates that frequent new snowfalls in winter cover or snow redistributed by winds mask the deposited dust. Moreover, a the frozen state of the road surface and the protective layer of snow or ice on the road may shield the dust from mobilization, potentially leading to increased production in spring relative to fall and winter. However, it is important to note that we currently lack ground-based data (snow samples and albedo measurements) to confirm this hypothesis empirically.

- 405 After April 5, we showed the remote sensing data indicates that the snow albedo was lower at distances close to the road and higher at distances farther away. This may be due to dust accumulation at on the snow surface when as snow melts and settles. We detected road related effects on the snow albedo up to 500 m from the road. In contrast, snow albedo at 600 m and 900 m from the road showed similar values and temporal patterns across whole study period and therefore indicated little or no effect of the road-road-dust at these distances. Moreover, the snow cover fraction decreased earlier at closer distances to the road
- 410 as compared to farther away. At 20 m distance, the melt-off started May 8, 2020 while it started twelve days later at 600 m distance. This finding is in line with Benson et al. (1975) who described a two-weeks-two-week premature snowmelt along roads in Prudhoe Bay region, Alaska, due to dust lowering the snow albedo.

#### 4.3 Spatial extent of early snow free areas

We examined the snowmelt patterns along the road using the NDSI derived from Landsat data. Even though snow accumulates
near the road, these areas are melting earlier than regions farther away in spring experiencing spring-melt and snow free conditions before areas distal to the road (Fig. 6). Most of the enhanced snow accumulation is within 30 m as shown in Fig. 4, which is also the spatial resolution of the Landsat bands used for calculating the NDSI. Therefore, even if the snow in the absolute vicinity of the road persists longer because of greater snow depth, it may not be visible in the images because of the spatial resolution of the utilized sensor. However, knowledge of the field conditions indicates that snow in these areas melts
early.

The results are in line with other similar studies showing earlier snowmelt next to a gravel road on permafrost in Prudhoe Bay, Alaska (Bergstedt et al., 2022). However, unlike their study we could not identify any considerable effect when classifying the pixels depending on the side of the road. A possible explanation is, that the majority of the road is located in north-south north-south direction and the prevailing wind direction in winter 2018-2018-2018-2019 was from the south (Fig. 4f). The eastern and western winds are similar in wind speed and occurrence which may explain why we did not find substantial differences between the sides. Furthermore, we classified the landscape west and east of the road and did not consider short sections of the road which are in east-west direction.

Other studies have identified road dust as the main cause of the early melt-off in spring (Everett, 1980; Walker and Everett, 1987). Dust loading on snow leads to decreased snow albedo and, thus, increased absorption of solar energy, inducing

430 snowmelt. Everett (1980) showed that most dust falls within a distance of 300 m with a logarithmic decrease with distance. This finding is in accordance with the spatial pattern of snow melt snowmelt found in our work (Fig. 5b,d and 6e-dc,d). This was especially clear in the images from the years 2016 and 2019, representing a high snow cover farther away from the road (90% and 80%), while the area close to the road was already mostly snow-freesnow free.

We detected earlier snowmelt at distances up to 600 m from the road depending on the observation date, which is greater 435 than in previous studies greater distance than in the study by Benson et al. (1975). The main snowmelt extent in this our study was within a zone of 200 m whereas Benson et al. (1975) noted that the early snowmelt occurred primarily within a 100 m zone (along roads in the Prudhoe Bay region). One possible explanation for the differences in snowmelt may be the misclassification of the NDSI when the snow is contaminated with dust and thus falsely classified as snow-freesnow free. However, the reliability of the NDSI given different spectral characteristics of the snow was examined in Kulkarni et al. (2002). They found that the

- NDSI values for all types of snow, such as fresh, clean, patchyand, wet and contaminated were substantially different from 440 snow-free snow free areas. A second explanations explanation for the differences in snowmelt extent may be different wind speeds, dust particle size and snow clearance practices. Furthermore, our method may be more sensitive to small effects as we analyse thousands of satellite pixels. On the other hand, Bergstedt et al. (2022) analysed Sentinel-2 data at Prudhoe Bay, Alaska and found that some areas up to  $5 \,\mathrm{km}$  from roads or pipelines showed earlier snowmelt. However, they also found the
- major effects within the first 100 m. 445

We found reduced snow cover along the road also in the images before road construction. This can be attributed to the road being constructed in interfluvial regions and at elevated as much as possible over elevated well-drained terrain, which typically exhibits lower snow accumulation than lower lying areas and topographic hollows. As a result, these areas experience an earlier and more frequent depressions. Moreover, the vegetation in the region affects the timing of snowmelt, with dwarf

- 450 birch-dominated areas experiencing earlier snowmelt compared to other vegetation types (Wilcox et al., 2019). Dense dwarf birch canopies are often associated with elevated terrain or slopes rather than depressions (Grünberg et al., 2020). These factors can collectively contribute to a region experiencing a more frequent and earlier absence of snow compared to other parts of areas within the landscape.
- Permafrost is affected by the early melt-off snowmelt in multiple ways. Auerbach et al. (1997) found the deepest thaw 455 next to the Dalton Highway (Alaska) and a consistent decrease with distance from the road. They attributed the increased thaw depth close to the road to the earlier exposure to solar radiation. The melt-off can start up to 14 days before the general melt-off (Walker and Everett, 1987), which can affect the underlying vegetation. Vegetation phenology and start of the season are significantly correlated with the last day of snow cover as found in Zeng and Jia (2013) (Zeng and Jia, 2013). Some plants are more favored by early snowmelt than others, as noted in Auerbach et al. (1997). They highlighted the close relationship
- 460 between early snowmelt and vascular plant growth, deciduous shrub and sedge flowering. Tall shrubs may act as a windbreak, increasing dust deposition and snow accumulation, leading to more soil nutrients, higher soil temperatures and increased active layer thickness (Gill et al., 2014). Our results indicate, that dust deposition is the main driver of the early snowmelt and the lower snow albedo at distances closer to the road. The affected footprint may be larger than earlier believed considered and even if there is currently no evidence for permafrost degradation at such distances, these seemingly undisturbed areas may be affected in the future.

465

#### 4.4 Conclusion

In this study, we utilized remote sensing techniques to show enhanced snow accumulation, reduced snow albedo and the extent of earlier snowmelt following the construction of the ITH. Our Inuvik to Tuktoyaktuk Highway. With a new, high resolution snow depth raster, our study confirms that the presence of the road significantly affects snow accumulation, resulting

- 470 in enhanced snow accumulation up to 0.8 m more snow compared to adjacent undisturbed areas and enhanced snow depth up to 36 m from the road. High embankments result in deeper snow, but also low embankments with gentle slopes contribute to enhanced snow accumulation, which can potentially contribute potentially contributes to permafrost degradation. The observed In addition to increased snow depth at the embankment, we observed a decrease in snow albedo and earlier snowmelt near roads the road, which may have significant implications for permafrost stability and ecosystem dynamics. The impacts of road
- 475 infrastructure impact of the highway on snow albedo reached up to 500 m and the extent of earlier snowmelt up to 600 m from the road, highlighting the far-reaching influence of gravel roads on the surrounding environmenttundra environments. Understanding the effects of snow road snow-road interactions in permafrost areas is crucial for current management practices and future development of mitigation strategies. Our results contribute to a better understanding of road effects on snow, a potential driver of permafrost degradation. These snow effects are most pronounced locally, but we show effects up to seemingly undis-
- 480 turbed areas at greater distance to the road. Furthermore, we recommend increased monitoring of dust deposition along Arctic highways and further research on to calibrate remote sensing techniques to gain which show significant potential for gaining a better understanding of the impacts of road infrastructure on tundra vegetation and the surrounding environment. These efforts will contribute to informed decision-making and the preservation of permafrost stability in the face of infrastructure mitigation strategies and decision making regarding infrastructure planning, development and maintenance during during a
- 485 time of unprecedented climate warming.

490

Data availability. The snow covered DEM and snow depth product are available on PANGAEA (Hammar et al., 2023).

*Author contributions.* J. H. designed the study and led the manuscript preparation. I. G. and J. B. initiated and supervised the study and advised on the methodology. I. G. created the figures with contributions by J. H.. All authors interpreted the results and contributed to the text of the manuscript All authors contributed to refining the study design and analyses for publication, interpreting the results and collectively contributed to the manuscript's text.

Competing interests. The authors declare that they have no competing interests.

*Acknowledgements.* We thank the AWI IceBird team for the 2019 overflight over the ITH, providing us with essential airborne LiDAR\_ALS data and Timothy Ensom for pointing us to related research by the Northern Territory Geological Survey (NTGS) and providing valuable input. Part of this work (Jennika Hammar/Inge GrünbergGrünberg) was funded by Helmholtz Imaging, a platform of the Helmholtz Incubator

495 on Information and Data Science (grant number: ZT-I-PF-4-001. The authors also ). The research was conducted under the NWT science licence No. 17024. The authors acknowledge that this study was conducted in the Inuvialuit settlement region in the western Canadian

Arctic. We also thank the TVC research station team for scientific discussions, assistance with field work and long-term data collection and

the Aurora Research Institute (ARI) for logistical support.

#### References

- 500 Ackerman, D.: Shrub-induced snowpack variability alters wintertime soil respiration across a simulated tundra landscape, Polar Research, 37, https://doi.org/10.1080/17518369.2018.1468197, 2018.
  - Ackerman, D. E. and Finlay, J. C.: Road dust biases NDVI and alters edaphic properties in Alaskan arctic tundra, Scientific Reports, 9, 1–8, https://doi.org/10.1038/s41598-018-36804-3, 2019.
- Antonova, S., Thiel, C., Höfle, B., Anders, K., Helm, V., Zwieback, S., Marx, S., and Boike, J.: Estimating tree height from TanDEM-X data
  at the northwestern Canadian treeline, Remote Sensing of Environment, 231, https://doi.org/10.1016/j.rse.2019.111251, 2019.
  - Auerbach, N. A., Walker, M. D., and Walker, D. A.: Effects of roadside disturbance on substrate and vegetation properties in Arctic tundra, Ecological Applications, 7, 218–235, 1997.
    - Benson, C., Holmgren, B., Timmer, R., Weller, G., and Parrish, S.: Observations on the seasonal snow cover and radiation climate at Prudhoe Bay, Alaska during 1972, Ecological investigations of the tundra biome in the Prudhoe Bay region, Alaska. Biological Papers of the
- 510 University of Alaska, Special report, pp. 12–50, 1975.
  - Bergstedt, H., Jones, B. M., Walker, D. A., Peirce, J. L., Bartsch, A., Pointner, G., Kanevskiy, M. Z., Raynolds, M. K., and Buchhorn, M.: The spatial and temporal influence of infrastructure and road dust on seasonal snowmelt, vegetation productivity, and early season surface water cover in the Prudhoe Bay Oilfield, Arctic Science, pp. 1–26, https://doi.org/10.1139/as-2022-0013, 2022.
- Biskaborn, B. K., Smith, S. L., Noetzli, J., Matthes, H., Vieira, G., Streletskiy, D. A., Schoeneich, P., Romanovsky, V. E., Lewkowicz, A. G.,
  Abramov, A., Allard, M., Boike, J., Cable, W. L., Christiansen, H. H., Delaloye, R., Diekmann, B., Drozdov, D., Etzelmüller, B., Grosse,
  G., Guglielmin, M., Ingeman-Nielsen, T., Isaksen, K., Ishikawa, M., Johansson, M., Johannsson, H., Joo, A., Kaverin, D., Kholodov, A.,
  Konstantinov, P., Kröger, T., Lambiel, C., Lanckman, J. P., Luo, D., Malkova, G., Meiklejohn, I., Moskalenko, N., Oliva, M., Phillips, M.,
  Ramos, M., Sannel, A. B. K., Sergeev, D., Seybold, C., Skryabin, P., Vasiliev, A., Wu, Q., Yoshikawa, K., Zheleznyak, M., and Lantuit,
  H.: Permafrost is warming at a global scale, Nature Communications, 10, 1–11, https://doi.org/10.1038/s41467-018-08240-4, 2019.
- 520 Bookhagen, B.: Pre-process and classify lidar or SfM point-cloud data for processing with PC\_geomorph\_roughness, https://github.com/ BodoBookhagen/PC\_geomorph\_roughness/blob/master/docs/PC\_geomorph\_roughness\_manual.pdf, 2018.

Brandt, J.: The extent of the North American boreal zone, Environmental Reviews, 17, 101–161, https://doi.org/10.1139/A09-004, 2009.

- Burn, C. R. and Kokelj, S. V.: The environment and permafrost of the Mackenzie Delta area, Permafrost and Periglacial Processes, 20, 83–105, https://doi.org/10.1002/ppp.655, 2009.
- 525 Cameron, E. A. and Lantz, T. C.: Drivers of tall shrub proliferation adjacent to the Dempster Highway, Northwest Territories, Canada, Environmental Research Letters, 11, https://doi.org/10.1088/1748-9326/11/4/045006, 2016.
  - Cogley, J., Hock, R., Rasmussen, L., Arendt, A., Bauder, A., Braithwaite, R., Jansson, P., Kaser, G., Möller, M., Nicholson, L., and Zemp, M.: Glossary of glacier mass balance and related terms, vol. 86 of *IHP-VII Technical Documents in Hydrology*, UNESCO-IHP, https://doi.org/10.5167/uzh-53475, 2011.
- 530 Darrow, M. M.: Thermal modeling of roadway embankments over permafrost, Cold Regions Science and Technology, 65, 474–487, https://doi.org/10.1016/j.coldregions.2010.11.001, 2011.

De Guzman, E. M. B., Alfaro, M. C., Doré, G., Arenson, L. U., and Piamsalee, A.: Performance of highway embankments in the Arctic constructed under winter conditions, Canadian Geotechnical Journal, 58, 722–736, https://doi.org/10.1139/cgj-2019-0121, 2021.

Dozier, J.: Spectral signature of alpine snow cover from the landsat thematic mapper, Remote Sensing of Environment, 28, 9-22,

<sup>535</sup> https://doi.org/10.1016/0034-4257(89)90101-6, 1989.

- Duk-Rodkin, A. and Lemmen, D.: Glacial history of the Mackenzie region, in: The Physical Environment of the Mackenzie Valley, Northwest Territories: a Baseline for the Assessment of Environmental Change, edited by Dyke, L. and Brooks, G., vol. 547, pp. 11–20, Geological Survey of Canada, 2000.
- Environment and Climate Change Canada: Historical data Trail Valley, Northwest Territories, URL: https://climate.weather.gc.ca/, accessed:
- 540 2023-08-12, 2021.

545

- Everett, K. R.: Distribution and properties of road dust along the northern portion of the Haul Road, in: Environmental engineering and ecological baseline investigations along the Yukon River-Prudhoe Bay Haul Road, edited by Brown, J. and Berg, R., chap. 3, pp. 101–128, Publisher: U.S. Army Cold Regions Research and Engineering Laboratory, 1980.
- Fortier, R., LeBlanc, A. M., and Yu, W.: Impacts of permafrost degradation on a road embankment at Umiujaq in Nunavik (Quebec), Canada, Canadian Geotechnical Journal, 48, 720–740, https://doi.org/10.1139/t10-101, 2011.
- Fraser, R. H., Lantz, T. C., Olthof, I., Kokelj, S. V., and Sims, R. A.: Warming-Induced Shrub Expansion and Lichen Decline in the Western Canadian Arctic, Ecosystems, 17, 1151–1168, https://doi.org/10.1007/s10021-014-9783-3, 2014.
- Ge, Y. and Gong, G.: Land surface insulation response to snow depth variability, Journal of Geophysical Research Atmospheres, 115, 1–11, https://doi.org/10.1029/2009JD012798, 2010.
- 550 Gill, H. K., Lantz, T. C., O'Neill, B., and Kokelj, S. V.: Cumulative impacts and feedbacks of a gravel road on shrub tundra ecosystems in the Peel Plateau, Northwest Territories, Canada, Arctic, Antarctic, and Alpine Research, 46, 947–961, https://doi.org/10.1657/1938-4246-46.4.947, 2014.
  - Gouttevin, I., Menegoz, M., Dominé, F., Krinner, G., Koven, C., Ciais, P., Tarnocai, C., and Boike, J.: How the insulating properties of snow affect soil carbon distribution in the continental pan-Arctic area, Journal of Geophysical Research: Biogeosciences, 117, 1–11,
- 555 https://doi.org/10.1029/2011JG001916, 2012.
  - Government of Canada: Infrastructure Canada Projects and Programs (since 2002) Northwest Territories, URL: https://www.infrastructure. gc.ca/investments-2002-investissements/nt-eng.html, accessed: 2023-10-26, 2023.
    - Grünberg, I., Wilcox, E. J., Zwieback, S., Marsh, P., and Boike, J.: Linking tundra vegetation, snow, soil temperature, and permafrost, Biogeosciences, 17, 4261–4279, https://doi.org/10.5194/bg-17-4261-2020, 2020.
- 560 Gädeke, A., Langer, M., Boike, J., Burke, E. J., Chang, J., Head, M., Reyer, C. P. O., Schaphoff, S., Thiery, W., and Thonicke, K.: Climate change reduces winter overland travel across the Pan-Arctic even under low-end global warming scenarios, Environmental Research Letters, 16, 024 049, https://doi.org/10.1088/1748-9326/abdcf2, 2021.
  - Hagolle, O., Huc, M., Desjardins, C., Auer, S., and Richter, R.: MAJA Algorithm Theoretical Basis Document, https://doi.org/10.5281/zenodo.1209633, 2017.
- 565 Hall, D. K., Riggs, G. A., and Salomonson, V. V.: Development of methods for mapping global snow cover using moderate resolution imaging spectroradiometer data, Remote Sensing of Environment, 54, 127–140, https://doi.org/10.1016/0034-4257(95)00137-P, 1995.
  - Hammar, J., Grünberg, I., Hendricks, S., Jutila, A., Helm, V., and Boike, J.: Snow covered digital elevation model and snow depth product (2019), Trail Valley Creek, NWT, Canada, https://doi.org/10.1594/PANGAEA.962552, 2023.
  - Hendricks, S.: AWI ALS toolbox, URL: https://github.com/shendric/awi-als-toolbox.git, accessed: 2021-08-15, 2019.
- 570 Hinkel, K., Paetzold, F., Nelson, F., and Bockheim, J.: Patterns of soil temperature and moisture in the active layer and upper permafrost at Barrow, Alaska: 1993–1999, Global and Planetary Change, 29, 293–309, https://doi.org/10.1016/S0921-8181(01)00096-0, 2001.
  - Idrees, M., Burn, C., Moore, J., and Calmels, F.: Monitoring permafrost conditions along the Dempster Highway, in: GeoQuébec 2015: challenges from North to South, 2015.

Judge, A. S., Taylor, A. E., and Burgess, M.: Canadian Geothermal Data Collection–Northern Wells 1977–1978, 1979.

- 575 Keller, J. and Lamprecht, R.: Road dust as an indicator for air pollution transport and deposition: An application of SPOT imagery, Remote Sensing of Environment, 54, 1–12, https://doi.org/10.1016/0034-4257(95)00119-L, 1995.
  - Kiggiak EBA: Environmental impact statement for construction of the Inuvik to Tuktoyaktuk highway, NWT, EIRB File No. 02/10-05, URL:https://www.inf.gov.nt.ca/sites/inf/files/resources/ith eis.pdf, 2011.
  - Kokelj, S. V., Palmer, M. J., Lantz, T. C., and Burn, C. R.: Ground Temperatures and Permafrost Warming from Forest to Tundra, Tuktoyaktuk Coastlands and Anderson Plain, NWT, Canada, Permafrost and Periglacial Processes, 28, 543-551, https://doi.org/10.1002/ppp.1934.
- 580 2017.
  - Kulkarni, A. V., Srinivasulu, J., Manjul, S. S., and Mathur, P.: Field based spectral reflectance studies to develop NDSI method for snow cover monitoring, Journal of the Indian Society of Remote Sensing, 30, 73-80, https://doi.org/10.1007/BF02989978, 2002.
- Lange, S., Cable, W. L., Grünberg, I., and Boike, J.: GNSS measurements Inuvik-Tuktovaktuk-Highway (ITH) and Trail Valley Creek (TVC) 585 2018, https://doi.org/10.1594/PANGAEA.918649, 2020.
  - Lange, S., Grünberg, I., Anders, K., Hartmann, J., Helm, V., and Boike, J.: Airborne Laser Scanning (ALS) point clouds of the Inuvik-Tuktuyaktuk-Highway, NWT, Canada (2018), https://doi.org/10.1594/PANGAEA.939655, 2021.
  - Lanouette, F., Doré, G., Fortier, D., and Lemieux, C.: Influence of snow cover on the ground thermal regime along an embankment built on permafrost : In-situ measurements, 68th Canadian Geotechnical Conference and 7th Canadian Permafrost Conference, Québec.,
- 590 https://doi.org/10.13140/RG.2.1.2482.1848, 2015.
  - Lawrence, D. M. and Swenson, S. C.: Permafrost response to increasing Arctic shrub abundance depends on the relative influence of shrubs on local soil cooling versus large-scale climate warming, Environmental Research Letters, 6, 045 504, https://doi.org/10.1088/1748-9326/6/4/045504, 2011.
- Liang, S., Shuey, C. J., Russ, A. L., Fang, H., Chen, M., Walthall, C. L., Daughtry, C. S., and Hunt, R.: Narrowband to broadband conversions 595 of land surface albedo: II. Validation, Remote Sensing of Environment, 84, 25-41, https://doi.org/10.1016/S0034-4257(02)00068-8, 2003.
- Lievens, H., Brangers, I., Marshall, H.-P., Jonas, T., Olefs, M., and De Lannoy, G.: Sentinel-1 snow depth retrieval at sub-kilometer resolution over the European Alps, The Cryosphere, 16, 159–177, https://doi.org/10.5194/tc-16-159-2022, 2022.
  - Liston, G. E. and Sturm, M.: A snow-transport model for complex terrain, Journal of Glaciology, 44, 498-516, https://doi.org/10.3189/S0022143000002021, 1998.
- 600 Macander, M. J., Swingley, C. S., Joly, K., and Raynolds, M. K.: Landsat-based snow persistence map for northwest Alaska, Remote Sensing of Environment, 163, 23-31, https://doi.org/10.1016/j.rse.2015.02.028, 2015.

Mack, B.: Sentinel-2 Cloud Masking with s2cloudless, URL: https://github.com/benmack/eo-box.git, accessed: 2021-09-15, 2018.

Mackay, J.: The Mackenzie Delta Area, N.W.T., Canada, Queen's printer, 1963.

Mackay, J. R.: Permafrost Depths, Lower Mackenzie Valley, Northwest Territories, Arctic, 20, 21-26, https://doi.org/10.14430/arctic3275, 1967.

- 605
  - Marsh, P., Bartlett, P., MacKay, M., Pohl, S., and Lantz, T.: Snowmelt energetics at a shrub tundra site in the western Canadian Arctic, Hydrological Processes, 24, 3603-3620, https://doi.org/10.1002/hyp.7786, 2010.
  - McFeeters, S. K.: The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features, International Journal of Remote Sensing, 17, 1425-1432, https://doi.org/10.1080/01431169608948714, 1996.
- Miceli, J. and Braaten, J.: Sentinel-2 Cloud Masking with s2cloudless, URL: https://github.com/google/earthengine-community/tree/master/ 610 tutorials/sentinel-2-s2cloudless, accessed: 2021-09-15, 2020.

- Morse, P. D. and Wolfe, S. A.: Geological and meteorological controls on icing (aufeis) dynamics (1985 to 2014) in subarctic Canada, Journal of Geophysical Research: Earth Surface, 120, 1670–1686, https://doi.org/10.1002/2015JF003534, 2015.
- Muñoz Sabater, J.: ERA5-Land hourly data from 1950 to present. Copernicus Climate Change Service (C3S) Climate Data Store (CDS),
- 615 https://doi.org/10.24381/cds.e2161bac, accessed: 2023-09-19, 2019.
  - Myers-Smith, I. H. and Hik, D. S.: Shrub canopies influence soil temperatures but not nutrient dynamics: An experimental test of tundra snow-shrub interactions, Ecology and Evolution, 3, 3683–3700, https://doi.org/10.1002/ece3.710, 2013.
- Naegeli, K., Damm, A., Huss, M., Wulf, H., Schaepman, M., and Hoelzle, M.: Cross-Comparison of Albedo Products for Glacier Surfaces Derived from Airborne and Satellite (Sentinel-2 and Landsat 8) Optical Data, Remote Sensing, 9, 110, https://doi.org/10.3390/rs9020110,
   2017.
  - Nelson, F. E., Anisimov, O. A., and Shiklomanov, N. I.: Subsidence risk from thawing permafrost, Nature, 410, 889–890, https://doi.org/10.1038/35073746, 2001.
  - Nill, L., Grünberg, I., Ullmann, T., Gessner, M., Boike, J., and Hostert, P.: Remote Sensing of Environment Arctic shrub expansion revealed by Landsat-derived multitemporal vegetation cover fractions in the Western Canadian Arctic, Remote Sensing of Environment, 281,
- 625 113 228, https://doi.org/10.1016/j.rse.2022.113228, 2022.

640

- O'Neill, H. B. and Burn, C. R.: Impacts of variations in snow cover on permafrost stability, including simulated snow management, Dempster Highway, Peel Plateau, Northwest Territories, Arctic Science, 3, 150–178, https://doi.org/10.1139/as-2016-0036, 2017.
- Park, H., Fedorov, A. N., Zheleznyak, M. N., Konstantinov, P. Y., and Walsh, J. E.: Effect of snow cover on pan-Arctic permafrost thermal regimes, Climate Dynamics, 44, 2873–2895, https://doi.org/10.1007/s00382-014-2356-5, 2015.
- PDAL contributors: PDAL: The Point Data Abstraction Library, https://doi.org/10.5281/zenodo.2616780, 2022.
   Pingel, T. J., Clarke, K. C., and McBride, W. A.: An improved simple morphological filter for the terrain classification of airborne LIDAR data, ISPRS Journal of Photogrammetry and Remote Sensing, 77, 21–30, https://doi.org/10.1016/j.isprsjprs.2012.12.002, 2013.
  - Rampton, V.: Quaternary Geology of the Tuktoyaktuk Coastlands, Northwest Territories, Commission géologique du Canada. Memoir, Publisher: Energy, Mines and Resources Canada, https://books.google.de/books?id=LqFsnQAACAAJ, 1988.
- 635 Rantanen, M., Karpechko, A. Y., Lipponen, A., Nordling, K., Hyvärinen, O., Ruosteenoja, K., Vihma, T., and Laaksonen, A.: The Arctic has warmed nearly four times faster than the globe since 1979, Communications Earth & Environment, 3, 168, https://doi.org/10.1038/s43247-022-00498-3, 2022.
  - Raynolds, M. K., Walker, D. A., Ambrosius, K. J., Brown, J., Everett, K. R., Kanevskiy, M., Kofinas, G. P., Romanovsky, V. E., Shur, Y., and Webber, P. J.: Cumulative geoecological effects of 62 years of infrastructure and climate change in ice-rich permafrost landscapes, Prudhoe Bay Oilfield, Alaska, Global Change Biology, 20, 1211–1224, https://doi.org/10.1111/gcb.12500, 2014.
- Ren, S., Miles, E. S., Jia, L., Menenti, M., Kneib, M., Buri, P., McCarthy, M. J., Shaw, T. E., Yang, W., and Pellicciotti, F.: Anisotropy parameterization development and evaluation for glacier surface albedo retrieval from satellite observations, Remote Sensing, 13, https://doi.org/10.3390/rs13091714, 2021.

# Riegl: Airborne laser scanner with online waveform processing, URL: http://www.riegl.com/uploads/tx\_pxpriegldownloads/DataSheet\_ VQ-580\_2015-03-23.pdf, accessed: 2021-10-15, 2021.

Schneider von Deimling, T., Lee, H., Ingeman-Nielsen, T., Westermann, S., Romanovsky, V., Lamoureux, S., Walker, D. A., Chadburn, S., Trochim, E., Cai, L., Nitzbon, J., Jacobi, S., and Langer, M.: Consequences of permafrost degradation for Arctic infrastructure – bridging the model gap between regional and engineering scales, The Cryosphere, 15, 2451–2471, https://doi.org/10.5194/tc-15-2451-2021, 2021. Spark, W.: Average Monthly Snowfall in Inuvik, URL: https://weatherspark.com/y/292/Average-Weather-in-Inuvik-Canada-Year-Round#

- 650 Figures-Snowfall, accessed: 2023-04-21, 2023.
  - Sturm, M. and Wagner, A. M.: Using repeated patterns in snow distribution modeling: An Arctic example, Water Resources Research, 46, https://doi.org/10.1029/2010WR009434, 2010.
  - Traversa, G., Fugazza, D., Senese, A., and Frezzotti, M.: Landsat 8 OLI broadband albedo validation in Antarctica and Greenland, Remote Sensing, 13, 1–19, https://doi.org/10.3390/rs13040799, 2021.
- 655 van der Sluijs, J., Kokelj, S. V., Fraser, R. H., Tunnicliffe, J., and Lacelle, D.: Permafrost terrain dynamics and infrastructure impacts revealed by UAV photogrammetry and thermal imaging, Remote Sensing, 10, https://doi.org/10.3390/rs10111734, 2018.
  - van der Sluijs, J., Kokelj, S. V., and Tunnicliffe, J. F.: Allometric scaling of retrogressive thaw slumps, The Cryosphere, 17, 4511–4533, https://doi.org/10.5194/tc-17-4511-2023, 2023a.
  - van der Sluijs, J., Saiet, E., Bakelaar, C. N., Wentworth, A., Fraser, R. H., and Kokelj, S. V.: Beyond visual-line-of-sight (BVLOS) drone
- 660 operations for environmental and infrastructure monitoring: a case study in northwestern Canada, Drone Systems and Applications, 11, 1–15, https://doi.org/10.1139/dsa-2023-0012, 2023b.
  - Walker, B., Wilcox, E. J., and Marsh, P.: Accuracy assessment of late winter snow depth mapping for tundra environments using structurefrom-motion photogrammetry, Arctic Science, 7, 588–604, https://doi.org/10.1139/as-2020-0006, 2021.

Walker, D. A. and Everett, K. R.: Road dust and its environmental impact on Alaskan taiga and tundra, Arctic & Alpine Research, 19,

- 479–489, https://doi.org/10.2307/1551414, 1987.
  Walker, D. A., Raynolds, M. K., Kanevskiy, M. Z., Shur, Y. S., Romanovsky, V. E., Jones, B. M., Buchhorn, M., Jorgenson, M. T., Šibík, J., Breen, A. L., Kade, A., Watson-Cook, E., Bergstedt, H., Liljedahl, A. K., Daanen, R. P., Connor, B., Nicolsky, D., and Peirce, J. L.: Cumulative impacts of a gravel road and climate change in an ice-wedge polygon landscape, Prudhoe Bay, AK, Arctic Science, 27, 1–27, https://doi.org/10.1139/as-2021-0014. 2022.
- 670 Wen, J., Liu, Q., Liu, Q., Xiao, Q., and Li, X.: Parametrized BRDF for atmospheric and topographic correction and albedo estimation in Jiangxi rugged terrain, China, International Journal of Remote Sensing, 30, 2875–2896, https://doi.org/10.1080/01431160802558618, 2009.

Wilcox, E. J., Keim, D., de Jong, T., Walker, B., Sonnentag, O., Sniderhan, A. E., Mann, P., and Marsh, P.: Tundra shrub expansion may amplify permafrost thaw by advancing snowmelt timing, Arctic Science, 5, 202–217, https://doi.org/10.1139/as-2018-0028, 2019.

- 675 Zeng, H. and Jia, G.: Impacts of snow cover on vegetation phenology in the arctic from satellite data, Advances in Atmospheric Sciences, 30, 1421–1432, https://doi.org/10.1007/s00376-012-2173-x, 2013.
  - Zhang, T.: Influence of the seasonal snow cover on the ground thermal regime: An overview, Reviews of Geophysics, 43, https://doi.org/10.1029/2004RG000157, 2005.
- Zupanc, A.: Improving Cloud Detection with Machine Learning, URL: https://medium.com/sentinel-hub/ 680 improving-cloud-detection-with-machine-learning-c09dc5d7cf13, accessed: 2021-09-15, 2019.
  - Zupanc, A.: Cloud Masks at Your Service, URL: https://medium.com/sentinel-hub/cloud-masks-at-your-service-6e5b2cb2ce8a, accessed: 2021-09-15, 2020.

Zupanc, A.: Sentinel Hub Cloud Detector, URL: https://www.sentinel-hub.com/sites/default/s2cloudless.pdf, accessed: 2021-09-15, 2021.