The Cryosphere Discuss., https://doi.org/10.5194/tc-2018-268-RC2, 2019 © Author(s) 2019. This work is distributed under the Creative Commons Attribution 4.0 License.



TCD

Interactive comment

Interactive comment on "Shear failure of weak snow layers in the first hours after burial" by Benjamin Reuter et al.

Zaiser (Referee)

michael.zaiser@ww.uni-erlangen.de

Received and published: 2 February 2019

The topic is important and under-researched, so the paper is timely. The authors perform their experiments on laboratory snow, but make a credible effort to mimic different types of weak layers. Microstructure characterization is thorough and lends substance to the results. I have many positive things to say about the paper, which I will be happy to see ultimately published. However, I leave the niceties for future comments since I am seriously stuck on one essential question regarding the mechanical analysis. Let me come straight to the point.

The authors analyze the stress strain behavior of their samples until 'failure' which is, in Figure 4, marked by a little red dot at which the record abruptly terminates. Since



Discussion paper



no other information is given, I have to presume that, at this point, some catastrophic process occurs that makes further recording futile. (I note that it would have been tremendously helpful for this referee to be able to access the unprocessed data, so I would not have to resort to such wild assumptions). However, I have hardly ever in my professional life as a materials scientist seen a material that would fail with an abrupt and complete loss of cohesion, at least not if plasticity was involved before. There is almost always some cohesion post 'failure' in quasi-brittle materials. Also, there is residual dissipation.

As to snow, it is well known to exhibit strain softening at high and strain hardening behavior at low strain rates. The authors discuss this but add to my confusion by arguing that, prior to failure, their samples are 'perfectly plastic'. This leaves me utterly confused. A perfectly plastic material by definition does not undergo brittle failure. So what exactly happens at the point of failure?

The definition of 'failure' by the authors is as follows: "As failure we consider the abrupt decrease during a few milliseconds in the shear stress with respect to the global shear strain measured on the sample. Hence, we refer to failure as the catastrophic fracture of the before connected ice structure.". This definition is near-meaningless: In a disordered material like snow under increasing imposed displacement, the stress undergoes up-and-down fluctuations all the time. That load fluctuates with respect to the global shear strain is self evident since shear displacement (viz global shear strain) is what is controlled in the experiment. But how are such fluctuations, which may well imply a decrease of stress over a few milliseconds, distinguished from 'failure'? Please answer me the following questions:

1) What is 'abrupt'? 2) What is a 'decrease' (as opposed to a mere fluctuation)? 3) Over how many milliseconds does the decrease need to occur? 4) Are you referring in your definition of failure to the magnitude of the stress decrease, or the rate of stress decrease, or some combination of both, or to something altogether different? 5) What is the reason for not showing, in Figure 4, any data after the red dot?

TCD

Interactive comment

Printer-friendly version

Discussion paper



The subsequent statement that failure is the 'catastropic fracture of the before connected ice structure', i.e., that it implies a loss of global connectivity, would be warranted only if the authors had data to substantiate it. This would require an in situ characterization of the bond microstructure which, given the scale and image rate of available Xray tomography equipment, the authors clearly cannot do. So the statement is irrelevant, because unsupported by data.

I am now at a loss how to proceed. The authors do not give a tangible definition of the key concept of 'failure'. Failure is when their data record ends (but why???). Without a clear criterion for 'failure', the experiments cannot be reproduced by other scientists since we would simply not know where to put the red dot in Figure 4 and why.

I am leaving this review incomplete at this point because the interactive format, I hope, provides the authors with the possibility to clarify the point where I am stuck so that, once unstuck, I can proceed to give a meaningful and constructive opinion on the rest of the paper.

Interactive comment on The Cryosphere Discuss., https://doi.org/10.5194/tc-2018-268, 2019.

TCD

Interactive comment

Printer-friendly version

Discussion paper

